VOLUME 69 • AUTHOR INDEX

Ada L *see* Vattanasilp W *et al*
Ahmed Z *see* Morgan CLI *et al*
see Preter M *et al*
Akkawi NM *see* Geroldi C *et al*
Albucher JF *et al.* Serum lipids in young patients with ischaemic stroke: a case-control study, **29**
Amadi A *see* Luchetti A *et al*
Anand P *see* Saldanha G *et al*
Andersen PM, Fagerlund M. Vertebrogenic dysphagia and gait disturbance mimicking motor neuron disease, **560**
Anderson DJ *see* Khalil NM *et al*
Anderson N *see* Hillis AE *et al*
Angelopoulos E *see* Gatzonis SD *et al*
Appenzeller O *see* Thomas PK *et al*
Armon C *et al.* Inhibitory simple partial (non-convulsive) status epilepticus after intracranial surgery, **18**
Arsland D *see* Karlsen KH *et al*
Assal F *et al.* Clinicoanatomical correlates of a Fou rire prodromique in a pontine infarction: *letter*, **697**
Autere JM *et al.* Familial aggregation of Parkinson's disease in a Finnish population, **107**
Awada A *see* Wohaibi MA *et al*
Awaki E *see* Misu K *et al*
Azher SN *see* Doody RS *et al*

Bachevalier J *see* di Stefano G *et al*
Bakheit AMO. Phantom limb sensations after complete thoracic transverse myelitis: *correspondence*, **275**
Bakheit AMO *et al.* Illusory movements of the paralysed upper limb in stroke: *letter*, **837**
Bakker E *see* van der Kooi AJ *et al*
Bamford JM *see* Bhakta BB *et al*
Bär KJ *see* Saldanha G *et al*
Barba C *see* Restuccia D *et al*
Barbaud A *see* Castelnovo G *et al*
Barker CS *see* Duffill J *et al*
Barnes MP *see* Davis EC and Barnes MP
Barnetson L *see* Lehmann DJ *et al*
see Nagy Z *et al*
Barnett MH *et al.* Unusual muscle pathology in McLeod syndrome, **655**
Barquero MS *see* Sáez-Valero J *et al*
Barrett AM *see* Lu LH *et al*
Barros F *see* Sobrido MJ *et al*
Baxendale SA *see* Thompson PJ *et al*
Beck M *see* Giess R *et al*
Beckett LA *see* Wilson RS *et al*
Bedini L *see* Restuccia D *et al*
Beems T *see* Vos PE *et al*
Belfroid RDM *see* Siesling S *et al*
Bell C *see* Donaghy M *et al*
Bell K *et al.* Immunohistochemistry distinguishes between Pick's disease and corticobasal degeneration: *letter*, **835**
Benamer HTS, Bone I. Cerebral venous thrombosis: anticoagulants or thrombolyic therapy?: *editorial*, **427**
Benarroch E *see* Noguès M *et al*
Benke T *et al.* Repetitive speech phenomena in Parkinson's disease, **319**
Bennett DA *see* Wilson RS *et al*
Ben-Smith A *see* Cooper JC *et al*
Benson M *see* Rose SE *et al*
Beran RG *see* Chan DKY *et al*
Berciano J *see* Cid C *et al*
Berg D *et al.* Cerebral activation pattern in primary writing tremor, **780**
Bergeron C *see* Grimes DA *et al*
Berry I *see* Roux F *et al*
Bertani G *see* Luchetti A *et al*
Bestmann S *see* Timmann D *et al*
Bevan D *see* Crawley F *et al*
Bhakta BB *et al.* Impact of botulinum toxin type A on disability and carer burden due to arm spasticity after stroke: a randomised double blind placebo controlled trial, **217**
Bhatia KP *see* Münchau A *et al*
Bianchini G *see* Morini A *et al*
Binetti G *see* Geroldi C *et al*
Binh N *see* Farrar JJ *et al*
Biolsi B *see* Castelnovo G *et al*
Biousse V *see* Kerrison JB *et al*
see van Stavern GP *et al*
see van Stavern GP *et al*
Birch R *see* Saldanha G *et al*
Bischoff B *see* Strauss C *et al*
Bise K *see* Kastenbauer S *et al*
Blanke O *et al.* Simple and complex vestibular responses induced by electrical cortical stimulation of the parietal cortex in humans, **553**
Blennow K *see* Tullberg M *et al*
Blomqvist P *et al.* Brain tumours in Sweden 1996: care and costs, **792**
Boatman D, Krauss G. Language lateralisation and early right ear deafness: was Wernicke right?, **538**
Bogdanovic MD *et al.* Late onset heterozygous ornithine transcarbamylase deficiency mimicking complex partial status epilepticus, **813**
Bone I *see* Benamer HTS and Bone I
Bonmann E *see* Schwarz S *et al*
Bonnier PL *see* Tilikete C *et al*
Book reviews Baethmann A, *editor.* Current progress in the understanding of secondary brain damage from trauma and ischaemia, **708**
Brand T. Vertigo. Its Multisensory Syndromes, 2nd Edition, **141**
Choux M, Di Rocco C, Hockley AD, *et al.* Pediatric Neurosurgery, **708**
Clifford Rose F, *editor.* A Short History of Neurology, **283**
Crockard, Hayward, Hoff, *editors.* Neurosurgery. The Scientific Basis of Clinical Practice. Third edition, **407**
Culebras A, *editor.* Sleep Disorders and Neurological Disease, **140**
Fieschi C, Fisher M, *editors.* Prevention of ischemic stroke, **408**
Freed WJ. Neural transplantation: an introduction, **707**
Henderson VW. Hormone Therapy and the Brain: a Clinical Perspective on the Role of Oestrogen, **709**
Jahanshahi M, Marsden CD, *editors.* Parkinson's Disease: A Self-Help Guide for Patients and their Carers, **408**
Kalb RC, *editor.* Multiple Sclerosis: the Questions You Have—the Answers You Need, **708**
Koliastsos VE, Ratan RR, *editors.* Cell Death and Diseases of the Nervous System, **409**
Laws ER Jr, Udvarhelyi GB, *editors.*The Genesis of Neuroscience, **409**
Lee JH, DeLisa JA, editors. Surface Anatomy for Electromyography, **141**
Mongini F. Headache and Facial Pain, **709**
Orrison WW Jr. Neuroimaging, **408**
Paulus W, Hallett M, Rossini PM, Rothwell JC, *editors.* Transcranial Magnetic Stimulation, **140**
Perkin PD. Mosby's Color Atlas and Text of Neurology, **141**
Preston DC, Shapero BE, *editors.* EMG Waveforms, **707**
Rajshekhar V, Chandy MJ, *editors*; Solitary cysticercus granuloma, the disappearing lesion, **567**
Robertson JT, Coakham HB, Robertson JH, *editors.* Cranial base surgery, **707**
Schmitz B, Sander T, *editors.* Juvenile Myoclonic Epilepsy: the Janz Syndrome, **838**
Van den Noort, Holland NJ. Multiple sclerosis in Clinical Practice, **140**
Vinken PJ, Bruyn GW, *editors.* Handbook of Clinical Neurology, Systemic Diseases part III, **139**
Wijdicks EFM. Neurologic Catastrophes in the Emergency Department, **139**
Zimmerman RA, Gibby WA, Carmody RF, *editors.* Neuroimaging: Clinical and Physical Principles, **708**
Bots ML *see* Vemmos KN *et al*
Bottiglieri T *et al.* Folate in CSF and age: *letter*, **562**
Homocysteine, folate, methylation, and monoamine metabolism in depression, **228**
Boulanouar K *see* Roux F *et al*
Bower SPC *et al.* Degree of hippocampal atrophy is not related to a history of febrile seizures in patients with proved hippocampal sclerosis, **733**
Bowers J *see* Wiesel PH *et al*
Bozeat S *et al.* Which neuropsychiatric and behavioural features distinguish frontal and temporal variants of frontotemporal dementia from Alzheimer's disease?, **178**
Bozzali M *see* Rovaris M *et al*
Bradshaw JL *see* Rogers MA *et al*
Brandt L *see* Nilsson OG *et al*
Briddon A *see* Bogdanovic MD *et al*
Bromfield E *see* Do D *et al*
Brouet J-C *see* Mariette X *et al*
Brown MJ *see* Wang T *et al*
Brown RJ, Trimble MR. Dissociative psychopathology, non-epileptic seizures, and neurology: *editorial*, **285**
Buecking A, Pfister R. Sensory ataxia as the initial clinical symptom in X-linked recessive bulbospinal neuronopathy: *letter*, **277**
Burridge JH, McLellan DL. elation between abnormal patterns of muscle activation and response to common peroneal nerve stimulation in hemiplegia, **353**

Burrin JM *see* Saldanha G *et al*
Bushby K *see* McDermott C *et al*
Butterworth B *see* Benke T *et al*
Buttner T *see* Federlein J *et al*
Byrne J *see* Trivedi R *et al*

Cairns NJ *see* Bell K *et al*
Calne DB *see* Pal PK *et al*
Cammarota A *see* Merello M *et al*
Canal N *see* Ferri C *et al*
Cantello R *et al*. Hedonistic homeostatic dysregulation in patients with Parkinson's disease on dopamine replacement therapies: *letter*, **566**
Carella F *see* Soliveri P *et al*
Carlstedt T *see* Saldanha G *et al*
Carpenter K. Aneurysmal haemorrhage: partialling out the effect of the bleed: *commentary*, **572**
Carson BS *see* Vanier V *et al*
Carter J *see* Harwood RH *et al*
Castelnovo G *et al*. Isolated spastic paraparesis leading to diagnosis of Friedreich's ataxia: *letter*, **693**
Cerquetti D *see* Merello M *et al*
Cha S-H *see* Han S-H *et al*
Chacko G *et al*. The calcified intracorporeal vacuole: an aid to the pathological diagnosis of solitary cerebral cysticercus granulomas, **525**
Chadduck JB *see* Pobereskin LH and Chadduck JB
Chalk JB *see* Rose SE *et al*
Chamberlain MA *see* Bhakta BB *et al*
Chan DKY *et al*. Validating a screening questionnaire for parkinsonism in Australia, **117**
Chandi SM *see* Chacko G *et al*
Chandy MJ *see* Chacko G *et al*
Chang K-H *see* Kang D-W *et al*
Charpentier P *et al*. Alzheimer's disease and frontotemporal dementia are differentiated by discriminant analysis applied to ^{99m}Tc HmPAO SPECT data, **661**
Chaudhuri A. Charles Bonnet syndrome: an example of cortical dissociation syndrome affecting vision?: *correspondence*, **704**
Chen F *see* Rose SE *et al*
Chevret S *see* Mariette X *et al*
Chiu E *see* Rogers MA *et al*
Chollet F *see* Albucher JF *et al*
see Roux F *et al*
Christian JC *see* Kirkwood SC *et al*
Chung S-Y *see* Han S-H *et al*
Ciabarra AM *et al*. Subcortical infarction resulting in acquired stuttering, **546**
Cibula JE *see* Lu LH *et al*
Cid C *et al*. Retro-ocular headache with autonomic features resembling "continuous" cluster headache in lateral medullary infarction: *letter*, **134**
Claassen J *see* Stuerenburg HJ *et al*
Clark CA *see* Werring DJ *et al*
Clarke CE, Davies P. Systematic review of acute levodopa and apomorphine challenge tests in the diagnosis of idiopathic Parkinson's disease, **590**
Clavelou P *see* Mariette X *et al*
Coatesworth AP *et al*. Assessment and treatment of dizziness: *correspondence*, **706**
Cock J *see* Haggard P *et al*
Cockburn J *see* Haggard P *et al*
Colombo A *see* Vos PE *et al*
Colombo B *see* Rovaris M *et al*
Combrinck M *see* Lehmann DJ *et al*
Comi G *see* Ferri C *et al*
see Leocani L *et al*
see Rovaris M *et al*
Conneally PM *see* Kirkwood SC *et al*
Cook MJ *see* Bower SPC *et al*
Cook T *see* Farrar JJ *et al*
Cooper JC *et al*. Unusual T cell receptor phenotype V gene usage of γδ T cells in a line derived from the peripheral nerve of a patient with Guillain-Barré syndrome, **522**
Coplin WM *see* Rebuck JA *et al*
Costa LG *see* Costa-Mallen P *et al*
Costa-Mallen P *et al*. Genetic polymorphism of dopamine D2 receptors in Parkinson's disease and interactions with cigarette smoking and MAO-B intron 13 polymorphism, **535**
Cox T *see* Münchau A *et al*
Cozens JA *see* Bhakta BB *et al*
Crawley F *et al*. Management of intracranial bleeding associated with anticoagulation: balancing the risk of further bleeding against thromboembolism from prosthetic heart valves, **396**
Crellin R *see* Bottiglieri T *et al*
Cremer PD *see* Coatesworth AP *et al*
Crosbie J *see* Vattanasilp W *et al*

Dalmau J *see* Sutton I *et al*
Dalvie S *et al*. C1/C2 rotary subluxation due to spasmodic torticollis: *letter*, **135**
Danek A *see* Kastenbauer S *et al*
Dangond F *see* Kiefer R *et al*
Davenport RJ *see* Rabinstein A *et al*
Davies P *see* Clarke CE and Davies P
Davis EC, Barnes MP. Botulinum toxin and spasticity: *editorial*, **143**
de Campos JM *see* Martínez-Mañas RM *et al*
Defebvre L *see* Charpentier P *et al*
de Haan EHF *see* Kessels RPC *et al*
Deletis V *see* Sala F *et al*
Denaro F *see* Restuccia D *et al*
Dennis M *see* Dorman P *et al*
Dennis MS *see* Rabinstein A *et al*
Derakhshan I, Yuki N. Guillain-Barré, Fisher, and Bickerstaff syndromes: nature versus well established ideas: *correspondence*, **703**
der Vlis MV *see* Maat-Kievit A *et al*
Desai M *see* Richardson D *et al*
de Seze J *see* Stojkovic T *et al*
de Silva HJ *see* Peiris DTS *et al*
de Visser M *see* van der Kooi AJ *et al*
de Vlis MV *see* Siesling S *et al*
Dichgans J *see* Karnath H-O *et al*
Diener H *see* Leniger T *et al*
Dinov ID *see* Mega MS *et al*
di Stefano G *et al*. Volume of focal brain lesions and hippocampal formation in relation to memory function after closed head injury in children, **210**
Do D *et al*. Treatment of paroxysmal sympathetic storm with labetalol: *letter*, **832**
Doddrell DM *see* Rose SE *et al*
Donaghy M *see* Trivedi R *et al*
Donaghy M *et al*. Steroid responsive polyneuropathy in a family with a novel myelin protein zero mutation, **799**
Doody RS *et al*. Does APO ε4 correlate with MRI changes in Alzheimer's disease?, **668**
Dorman P *et al*. Are the modified "simple questions" a valid and reliable measure of health related quality of life after stroke?, **487**
Dormont D *see* Oppenheim C *et al*
Duffill J *et al*. Can spontaneous spinal epidural haematoma be managed safely without operation? a report of four cases, **816**
Duhamel A *see* Charpentier P *et al*
Duncan JS *see* Bogdanovic MD *et al*
see Thompson PJ *et al*
Dunn JK *see* Doody RS *et al*
Dunn S *see* Meiser B and Dunn S

Ebner A *see* Janszky J *et al*
Ebrahim S *see* Harwood RH *et al*
Edwards S *see* Richardson D *et al*
Eggers C *see* Stuerenburg HJ and Eggers C
see Stuerenburg HJ *et al*
Eintracht S *et al*. Analysis of adenosine deaminase isoenzyme-2 (ADA_2) in cerebrospinal fluid in the diagnosis of tuberculous meningitis: *letter*, **137**
Ekbom A *see* Blomqvist P *et al*
Ekman R *see* Tullberg M *et al*
Elger CE *see* Lendt M *et al*
Elkind MS *see* Ciabarra AM *et al*
Ellis CJK. Isolated Horner's syndrome and syringomyelia: *commentary*, **3**
Ellis CM *see* Tomik B *et al*
Enzinger C *see* Fazekas F *et al*
Epstein FJ *see* Sala F *et al*
Escherich F *see* Schroeder S *et al*
Esiri MM *see* Nagy Z *et al*
Esser S *see* Maschke M *et al*
Evans DA *see* Wilson RS *et al*

Fagerlund M *see* Andersen PM and Fagerlund M
Fairweather N *see* Farrar JJ *et al*
Falautano M *see* Leocani L *et al*
Fann JR *et al*. Physical activity and subarachnoid haemorrhage: a population based case-control study, **768**
Farrar JJ *et al*. Tetanus, **292**
Farrell B *see* Sandercock P *et al*
Fazekas F *et al*. Apolipoprotein E genotype related differences in brain lesions of multiple sclerosis, **25**
Federlein J *et al*. Ultrasonic evaluation of pathological brain perfusion in acute stroke using second harmonic imaging, **616**
Feinberg TE *see* Bakheit AMO *et al*
Feng SF *see* Thomas PK *et al*
Fennell EB *see* Lu LH *et al*
Ferayan AA *see* Wohaibi MA *et al*
Ferrer E *see* Martínez-Mañas RM *et al*
Ferri C *et al*. Lack of association between *IL-1A* and *IL-1B* promoter polymorphisms and multiple sclerosis: *letter*, **564**
Ferrieres J *see* Albucher JF *et al*
Filippi M *see* Iannucci G *et al*
see Leocani L *et al*
see Rovaris M *et al*
Findlay GF *see* Dalvie S *et al*

Finsterer J *et al.* Bilateral stenting of symptomatic and asymptomatic internal carotid artery stenosis due to fibromuscular dysplasia, **683**
Fisher AA, le Couteur DG. Lead poisoning from complementary and alternative medicine in multiple sclerosis: *lesson of the month*, **687**
Flooh E *see* Fazekas F *et al*
Fogarasi A *see* Janszky J *et al*
Fordham C *see* Haggard P *et al*
Foroud T *see* Kirkwood SC *et al*
Forteza J *see* Sobrido MJ *et al*
Fox N *see* Wang T *et al*
Franklin GM *see* Costa-Mallen P *et al*
Fredman P *see* Tullberg M *et al*
Freeman JA, Thompson AJ. Community services in multiple sclerosis: still a matter of chance, **728**
Friedman AH *see* Armon C *et al*
Frisoni GB *see* Geroldi C *et al*
Frisoni GB. Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia: *commentary*, **572**
Frucht S. Anterior superior alveolar neuropathy: an occupational neuropathy of the embouchure: *letter*, **563**
Fujita H *see* Saito T *et al*
Fukudome T *see* Goto H *et al*
Fukuoka T *see* Terao S *et al*
Fukuyama H *see* Yamauchi H *et al*
Fulcher KY, White PD. Strength and physiological response to exercise in patients with chronic fatigue syndrome, **302**

Gabriel CM *et al.* Prospective study of the usefulness of sural nerve biopsy, **442**
Galanaud D *see* Oppenheim C *et al*
Galluzzi S *see* Geroldi C *et al*
Gamboa J *see* Thomas PK *et al*
Gatzonis SD *et al.* Acute psychosis and EEG normalisation after vagus nerve stimulation: *letter*, **278**
Genitrini S *see* Soliveri P *et al*
Georgaculias N *see* Gatzonis SD *et al*
Geroldi C *et al.* Temporal lobe asymmetry in patients with Alzheimer's disease with delusions, **187**
Ghobert AD *see* Morini A *et al*
Giess R *et al.* Injections of botulinum toxin A into the salivary glands improve sialorrhoea in amyotrophic lateral sclerosis, **121**
Gill SS *see* McCarter RJ *et al*
Gilley DW *see* Wilson RS *et al*
Gilmore RL *see* Lu LH *et al*
Gilsbach JM *see* Reinges MHT *et al*
Giovannoni G *see* Cantello R *et al*
Girotti F *see* Soliveri P *et al*
Gobbi G *see* Luchetti A *et al*
Goldbrunner R *see* Tonn J-C *et al*
Goto H *et al.* Chronic autonomic neuropathy in a patient with primary Sjögren's syndrome: *letter*, **135**
Gottlob I *see* Pieh C and Gottlob I
Goyal V, Tripathi M. Sunflower cataract in Wilson's disease, **133**
Grace GM *see* Hudson AJ and Grace GM
Gray RGF *et al.* Inborn errors of metabolism as a cause of neurological disease in adults: an approach to investigation: *review*, **5**
Green A *see* Gray RGF *et al*
Green SH *see* Gray RGF *et al*
Greenwood R *see* Richardson D *et al*
Gregory CA *see* Bozeat S *et al*
Grimaldi LME *see* Ferri C *et al*
see Ferri C *et al*
Grimes DA *et al.* Late adult onset chorea with typical pathology of Hallervorden-Spatz syndrome, **392**
Grobbee DE *see* Vemmos KN *et al*
Grossman RG *see* Rettig GM *et al*
Gucüyener D *see* Ugur C *et al*
Guiraud-Chaumeil B *see* Albucher JF *et al*
Guz A *see* Nogués M *et al*

Haas LF. Andre Högyes (1847-1906), **471**
André Chantemesse (1851–1919), **786**
Antonio Grossich (1849-1926), **301**
Edmond Isidore Etienne Nocard (1850-1903), **130**
Emil Theodore Kocher (1841-1917), **171**
William Stewart Halsted (1852–1922), **641**
Hache J-C *see* Stojkovic T *et al*
Hafler DA *see* Kiefer R *et al*
Hagenah J *see* Kis B *et al*
Haggard P *et al.* Interference between gait and cognitive tasks in a rehabilitating neurological population, **479**
Hagmüller G *see* Finsterer J *et al*
Haites N *see* Donaghy M *et al*
Hall SM *see* Gabriel CM *et al*
Halmagyi GM *see* Coatesworth AP *et al*
Halmagyi M *see* Shimizu K *et al*
Han S-H *et al.* Moyamoya disease presenting with singing induced chorea: *letter*, **833**
Hanakawa T *et al.* Carotid brainstem reflex myoclonus after hypoxic brain damage, **672**
Hansen HC *see* Stuerenburg HJ *et al*
Hardy DG. Acoustic neuroma surgery as an interdisciplinary approach: *commentary*, **147**
Hartmann A *see* Sieb JP and Hartmann A
Hartung H-P *see* Fazekas F *et al*
see Kiefer R *et al*
Harvey P. Fear can interrupt the continuum of memory: *letter*, **562**
Harwood RH *et al.* The London handicap scale: *correspondence*, **406**
Hashimoto S *see* Hanakawa T *et al*
Hasselberg I *see* Reinges MHT *et al*
Hattori N *see* Misu K *et al*
Hawkins SA. Magnetisation transfer analysis and the disability resulting from multiple sclerosis: *commentary*, **715**
Hayashi T *see* Yamauchi H *et al*
Haykal HA *see* Doody RS *et al*
Haymerle A *see* Finsterer J *et al*
Heberlein I *see* Kis B *et al*
Heidel K *see* Nogués M *et al*
Heilman KM *see* Lu LH *et al*
Helms J *see* Tonn J-C *et al*
Helmstaedter C *see* Lendt M *et al*
Hengge U *see* Maschke M *et al*
Hien TT *see* Newton CRJC *et al*
Hillis AE *et al.* Cognitive impairments after surgical repair of ruptured and unruptured aneurysms, **608**
Hirata K *see* Yuki N *et al*
Hirayama M *see* Misu K *et al*
Hodes ME *see* Kirkwood SC *et al*
Hodges J *see* Lantos PL *et al*
Hodges JR *see* Bozeat S *et al*
Hofmann E *see* Berg D *et al*
Hohenstein C *see* Benke T *et al*
Hongo K *see* Morota N *et al*
Hornung J-P *see* Assal F *et al*
Hosten N *see* Meissner W *et al*
Howard R *see* Gabriel CM *et al*
Hu E *see* Chan DKY *et al*
Hu J *see* Ono S *et al*
Hudson AJ, Grace GM. Misidentification syndromes related to face specific area in the fusiform gyrus, **645**
Hufnagel A *see* Maschke M *et al*
Huk WJ *see* Strauss C *et al*
Hung WT *see* Chan DKY *et al*
Huson SM *see* Trivedi R *et al*

Iannucci G *see* Rovaris M *et al*
Iannucci G *et al.* Vanishing Balò-like lesions in multiple sclerosis, **399**
Ibarrola D *see* Roux F *et al*
Iga K *see* Hanakawa T *et al*
Iland H *see* Barnett MH *et al*
Imai T *see* Ono S *et al*
Insola A *see* Restuccia D *et al*
Inukai T *see* Morota N *et al*
Ishiai S *et al.* Line versus representational bisections in unilateral spatial neglect, **745**
Ishihara N *see* Tani T *et al*
Izawa M *see* Ishiai S *et al*

Jacobs H *see* Kis B *et al*
Jacobs H *et al.* Sexuality in young patients with Parkinson's disease: a population based comparison with healthy controls, **550**
Jahanshahi M *see* Schrag A *et al*
see Schrag A *et al*
Jakubowski J *see* Mitchell P and Jakubowski J
Jallo G *see* Sala F *et al*
Jankovic J *see* Rettig GM *et al*
Janszky J *et al.* Are ictal vocalisations related to the lateralisation of frontal lobe epilepsy?, **244**
Jekins A *see* Gatzonis SD *et al*
Jenkinson C *see* Harwood RH *et al*
Joachim C *see* Lehmann DJ *et al*
Johansson S-E *see* Wahlund L-O *et al*
Johnson M *see* Maddison P *et al*
Johnston I *see* Owler BK *et al*
Jokeit H *see* Janszky J *et al*
Jolobe OMP. Progressive dementia and gait disorder in a 78 year old woman: *correspondence*, **702**
Julin P *see* Wahlund L-O *et al*
Jumah MA *see* Wohaibi MA *et al*

Kalveram KT *see* Timmann D *et al*
Kaminaga T *see* Takeda K *et al*
Kang D-W *et al.* Neuronal metabolic changes in the cortical region after subcortical infarction: a proton MR spectroscopy study, **222**
Kang J *see* Saito T *et al*
Kappelle LJ *see* Kessels RPC *et al*
Karlsen KH *et al.* Health related quality of life in Parkinson's disease: a prospective longitudinal study, **584**

Karnath H-O *et al.* Effect of prolonged neck muscle vibration on lateral head tilt in severe spasmodic torticollis, **658**
Kastenbauer S *et al.* Primary diffuse leptomeningeal gliomatosis: unusual MRI with non-enhancing nodular lesions on the cerebellar surface and spinal leptomeningeal enhancement, **385**
Kastrup O *see* Leniger T *et al*
see Maschke M *et al*
Katon WJ *see* Fann JR *et al*
Katsumi Y *see* Yamauchi H *et al*
Kennard C *see* Pambakian ALM *et al*
Kennedy M *see* Owler BK *et al*
Kennedy P, Tarafder J. Periorbital bruising in spontaneous subarachnoid haemorrhage, **812**
Kennett R *see* Donaghy M *et al*
Kerr MP *see* Morgan CLI *et al*
see Preter M *et al*
Kerrison JB *et al.* Isolated Horner's syndrome and syringomyelia: *lesson of the month*, **131**
Kessels RPC *et al.* Spatial memory impairment in patients after tumour resection: evidence for a double dissociation, **389**
Khalil NM *et al.* Long term decline of P100 amplitude in migraine with aura, **507**
Kidd D *see* Bogdanovic MD *et al*
Kiefer R *et al.* Enhanced B7 costimulatory molecule expression in inflammatory human sural nerve biopsies, **362**
Kilpatrick CJ *see* Bower SPC *et al*
Kim Y-G *see* Han S-H *et al*
King RHM *see* Thomas PK *et al*
Kinsella N *see* Gabriel CM *et al*
Kirkwood SC *et al.* Subtle changes among presymptomatic carriers of the Huntington's disease gene, **773**
Kis B *et al.* Neuropsychological abnormalities in first degree relatives of patients with familial Parkinson's disease: *correspondence*, **838**
Kishore A *see* Pal PK *et al*
Klein C *see* Kis B *et al*
Klein W *see* Kastenbauer S *et al*
Knauth M *see* Schwarz S *et al*
Koepp MJ. Hippocampal sclerosis: cause or consequence of febrile seizures: *commentary*, **716**
Kohno M *et al.* Neurovascular decompression for idiopathic tarsal tunnel syndrome: technical note, **87**
Konczak J *see* Karnath H-O *et al*
see Timmann D *et al*
Konishi J *see* Yamauchi H *et al*
Koornhof HJ *see* Eintracht S *et al*
Kopelman MD. Fear can interrupt the continuum of memory: *commentary*, **431**
Koyama Y *see* Ishiai S *et al*
Krauss G *see* Boatman D and Krauss G
Krauss JK *see* Rettig GM *et al*
Kremer HPH *see* Siesling S *et al*
Krzan MJ *see* Sala F *et al*
Kuczaty S *see* Lendt M *et al*
Kuker W *see* Reinges MHT *et al*
Kukull WA *see* Fann JR *et al*
Kupsch A *see* Veltkamp R *et al*
Kuruppuarachchi KALA *see* Peiris DTS *et al*

Labauge P *see* Castelnovo G *et al*
Lai EC *see* Rettig GM *et al*
Land JM *see* Bogdanovic MD *et al*
Landis T *see* Assal F *et al*
see Blanke O *et al*
Lane R. Chronic fatigue syndrome: is it physical?: *commentary*, **289**
Lang AE *see* Grimes DA *et al*
Lang AE. Corticobasal ganglionic degeneration and/or frontotemporal dementia?: *correspondence*, **705**
Lang B *see* Palace J and Lang B
Lantos PL *see* Bell K *et al*
Lantos PL *et al.* Diagnostic criteria for corticobasal degeneration: *correspondence*, **705**
Larsen JP *see* Karlsen KH *et al*
Laundy M *see* Bottiglieri T *et al*
see Bottiglieri T *et al*
Lavenu I *see* Charpentier P *et al*
Lechner A *see* Fazekas F *et al*
Lecouffe P *see* Charpentier P *et al*
le Couteur DG *see* Fisher AA and le Couteur DG
Lee L *see* Mega MS *et al*
Lee Y-S *see* Kang D-W *et al*
Lees AJ *see* Cantello R *et al*
Leger J-M *see* Mariette X *et al*
Legg NJ *see* Khalil NM *et al*
Leggio MG *et al.* Phonological grouping is specifically affected in cerebellar patients: a verbal fluency study, **102**
Lehmann DJ *et al.* Apolipoprotein E ε2 may be a risk factor for sporadic frontotemporal dementia: *letter*, **404**
Leigh PN *see* Tomik B *et al*
Leiguarda RC *see* Merello M *et al*
Leingang JC *see* van Stavern GP *et al*
Lekman A *see* Tullberg M *et al*
Lempert T *see* Meissner W *et al*
Lendt M *et al.* Behavioural disorders in children with epilepsy: early improvement after surgery, **739**
Leniger T *et al.* Reversible posterior leukencephalopathy syndrome induced by granulocyte stimulating factor filgrastim: *letter*, **280**
Leocani L *et al.* Electroencephalographic coherence analysis in multiple sclerosis: correlation with clinical, neuropsychological, and MRI findings, **192**
le Pera D *see* Restuccia D *et al*
Levin HS *see* di Stefano G *et al*
see Rettig GM *et al*
Lewis M *et al.* Intravenous immunoglobulin causing reversible posterior leukoencephalopathy syndrome?: *correspondence*, **704**
Liao T *see* Doody RS *et al*
Lim EC *et al.* Brain seizes, heart ceases: a case of ictal asystole: *lesson of the month*, **557**
Lim S-H *see* Lim EC *et al*
Lindgren A *see* Nilsson OG *et al*
Link H *see* Oluwole OSA *et al*
Locatelli T *see* Leocani L *et al*
Longstreth Jr WT *see* Fann JR *et al*
Lorenz R *see* Marquardt G *et al*
Losekoot M *see* Maat-Kievit A *et al*
see Siesling S *et al*
Lu LH *et al.* Dissociation of anosognosia and phantom movement during the Wada test, **820**
Lucas S *see* Gabriel CM *et al*
Luchetti A *et al.* Visual field defects associated with vigabatrin monotherapy in children: *letter*, **566**
Luukkainen-Markkula R *see* Rahkonen T *et al*
Luzzi S *see* Piccirilli M *et al*
Lycke J *see* Blomqvist P *et al*
Lythgoe DJ *see* Markus HS *et al*

Maat-Kievit A *et al.* Paradox of a better test for Huntington's disease, **579**
Maat-Kievit JA *see* Siesling S *et al*
McCarter RJ *et al.* Cognitive functioning after subthalamic nucleotomy for refractory Parkinson's disease, **60**
McColl I *see* Gabriel CM *et al*
McDermott C *et al.* Hereditary spastic paraparesis: a review of new developments: *review*, **150**
McDonald B *see* Donaghy M *et al*
McLean CA *see* Sáez-Valero J *et al*
McLellan DL *see* Burridge JH and McLellan DL
McLeod JG. Sural nerve biopsy: *commentary*, **431**
Maddison P *see* Lewis M *et al*
Maddison P *et al.* Clinical and MRI discordance in a case of delayed radiation myelopathy: *letter*, **563**
Magnani G *see* Ferri C *et al*
see Leocani L *et al*
Majamaa K *see* Autere JM *et al*
Mak E *see* Pal PK *et al*
Manji H, Miller RF. Progressive multifocal leucoencephalopathy: progress in the AIDS era: *editorial*, **569**
Mannan SK *see* Pambakian ALM *et al*
Månsson J-E *see* Tullberg M *et al*
Mant J *see* Harwood RH *et al*
Marcos A *see* Sáez-Valero J *et al*
Mariette X *et al.* A randomised double blind trial versus placebo does not confirm the benefit of α-interferon in polyneuropathy associated with monoclonal IgM: *letter*, **279**
Markus HS *et al.* Reduced cerebral blood flow in white matter in ischaemic leukoaraiosis demonstrated using quantitative exogenous contrast based perfusion MRI, **48**
Marquardt G *et al.* Long term follow up after perimesencephalic subarachnoid haemorrhage, **127**
Marsault C *see* Oppenheim C *et al*
Marsden CD *see* Münchau A *et al*
Marshall RS *see* Ciabarra AM *et al*
Martínez-Mañas RM *et al.* Camino® intracranial pressure monitor: prospective study of accuracy and complications, **82**
Martinelli V *see* Leocani L *et al*
Maruyama K *see* Usuki F and Maruyama K
Mascalchi M *see* Iannucci G *et al*
Maschke M *et al.* Incidence and prevalence of neurological disorders associated with HIV since the introduction of highly active antiretroviral therapy (HAART), **376**
Mathen D *see* Münchau A *et al*
Matsumura T *see* Saito T *et al*
Matsuo H *see* Goto H *et al*
Maurage C-A *see* Stojkovic T *et al*
Mega MS *et al.* Cerebral correlates of psychotic symptoms in Alzheimer's disease, **167**
Meiser B, Dunn S. Psychological impact of genetic testing for Huntington's disease: an update of the literature: *review*, **574**
Meissner W *et al.* Multiple lesions originating from the ventricular wall, **273**
Merello M *et al.* Mismatch between electrophysiologically defined and ventriculography based theoretical targets for posteroventral pallidotomy in Parkinson's disease, **787**
Meves S *see* Federlein J *et al*
Michael DB *see* Rebuck JA *et al*

Milanese C. Unmet needs in multiple sclerosis: the role of community services: *commentary*, **715**
Milewski C *see* Tonn J-C *et al*
Millar J *see* Duffill J *et al*
Miller NR *see* Vanier V *et al*
see Vanier V *et al*
Miller RF *see* Manji H and Miller RF
Mishkin F *see* Mega MS *et al*
Misu K *et al.* An axonal form of Charcot-Marie-Tooth disease showing distinctive features in association with mutations in the peripheral myelin protein zero gene (Thr124Met or Asp75Val), **806**
Mitchell P, Jakubowski J. Estimate of the maximum time interval between formation of cerebral aneurysm and rupture, **760**
Mitsuma T *see* Terao S *et al*
Miura N *see* Terao S *et al*
see Terao S *et al*
Miyai I *see* Saito T *et al*
Modarres H *et al.* Isolated finger flexion: a novel form of focal neuromyotonia, **110**
Moen G *see* Wester K and Moen G
Moilanen JS *see* Autere JM *et al*
Molinari M *see* Leggio MG *et al*
Monza D *see* Soliveri P *et al*
Moore AP *see* Dalvie S *et al*
Morgan CL *see* Preter M *et al*
Morgan CLI *et al.* Social deprivation and prevalence of epilepsy and associated health usage, **13**
Mori S *see* Tani T *et al*
Morini A *et al.* Proximal median mononeuropathy associated with an anomalous deep course through the brachialis muscle: *letter*, **698**
Morland AB *see* Pambakian ALM *et al*
Morota N *et al.* Anatomical variants in the floor of the third ventricle; implications for endoscopic third ventriculostomy, **531**
Morrell MJ *see* Nogués M *et al*
Morris K *see* Bower SPC *et al*
Muddle JR *see* Thomas PK *et al*
Mueller M *see* Kiefer R *et al*
Munchau A *et al.* Unilateral lesions of the globus pallidus: report of four patients presenting with focal or segmental dystonia, **494**
Murofushi T *see* Shimizu K *et al*
Murphy C *see* Tomik B *et al*
Murry KR *see* Rebuck JA *et al*
Myllylä VV *see* Autere JM *et al*

Nagahama Y *see* Yamauchi H *et al*
Nagy Z *et al.* Hyperhomocysteinaemia in Alzheimer's disease and expression of cell cycle markers in the brain: *letter*, **565**
Nakagawa H *see* Morota N *et al*
see Ono S *et al*
Nakamura H *see* Goto H *et al*
Nakashima K *see* Misu K *et al*
Naraghi R *see* Strauss C *et al*
Naumann M *see* Berg D *et al*
see Giess R *et al*
Newman NJ *see* Kerrison JB *et al*
see van Stavern GP *et al*
see van Stavern GP *et al*
see van Stavern GP *et al*
Newton CRJC *et al.* Cerebral malaria: *review*, **433**
Nicotra A *see* Tomik B *et al*
Niebauer T *see* Marquardt G *et al*
Niederlaender M *see* Tilikete C *et al*
Nilsson OG *et al.* Incidence of intracerebral and subarachnoid haemorrhage in southern Sweden, **601**
Nogués M *et al.* Unilateral focal lesions in the rostrolateral medulla influence chemosensitivity and breathing measured during wakefulness, sleep, and exercise: *correspondence*, **138**
Norton C *see* Wiesel PH *et al*
Nozaki S *see* Saito T *et al*

Ohnishi A *see* Goto H *et al*
Oluwole OSA *et al.* Persistence of tropical ataxic neuropathy in a Nigerian community, **96**
Omojola M *see* Wohaibi MA *et al*
Onabolu AO *see* Oluwole OSA *et al*
Ono S *et al.* Increased expression of insulin-like growth factor I in skin in amyotrophic lateral sclerosis, **199**
Oppenheim C *et al.* Can diffusion weighted magnetic resonance imaging help differentiate stroke from stroke-like events in MELAS?, **248**
Orrico D *see* Morini A *et al*
Osano Y *see* Terao S *et al*
Ostegaard L *see* Markus HS *et al*
O'Sullivan M *see* Markus HS *et al*
Owler BK *et al.* Late recurrence of glossopharyngeal neuralgia after IXth and partial Xth nerve rhizotomy: treatment by microvascular decompression: *letter*, **834**
Oyanagi C *see* Yamauchi H *et al*
Özdemir G *see* Ugur C *et al*
Özkan S *see* Ugur C *et al*

Paanila S *see* Rahkonen T *et al*
Pal PK *et al.* Long term outcome of unilateral pallidotomy: follow up of 15 patients for 3 years, **337**
Palace J, Lang B. Epilepsy: an autoimmune disease?: *editorial*, **711**
Palomo M *see* McCarter RJ *et al*
Pambakian ALM *et al.* Scanning the visual world: a study of patients with homonymous hemianopia, **751**
Papagno C, Sala SD. Crossed face apraxia: *letter*, **694**
Paridi D *see* Soliveri P *et al*
Parker GJ *see* Werring DJ *et al*
Parry CM *see* Farrar JJ *et al*
Parry J *see* Farrar JJ *et al*
Parton M *see* Tomik B *et al*
Pascual J *see* Cid C *et al*
Pasquier F *see* Charpentier P *et al*
Patel N *see* Pambakian ALM *et al*
Pearce JMS. Henry Head (1861–1940), **578**
The circle of Willis (1621–75), **86**
The fissure of Sylvius (1614–72), **463**
Wallerian degeneration, **791**
Peiris DTS *et al.* Neuroleptic malignant syndrome without fever: a report of three cases: *letter*, **277**
Pereira CR *see* Sobrido MJ *et al*
Perquin WVM *see* van Leusen H and Perquin WVM
Perret BP *see* Albucher JF *et al*
Perrig S *see* Blanke O *et al*
Petrosini L *see* Leggio MG *et al*
Pettigrew LEL *see* Wilson JTL *et al*
Pfeiffer G *see* Schroeder S *et al*
Pfister HW *see* Kastenbauer S *et al*
see Veltkamp R *et al*
Pfister R *see* Buecking A and Pfister R
Phillips JG *see* Rogers MA *et al*
Piao Y-S *see* Tani T *et al*
Piccirilli M *et al.* Modularity of music: evidence from a case of pure amusia, **541**
Pieh C, Gottlob I. Arnold-Chiari malformation and nystagmus of skew, **124**
Pillon B. Can a neuropsychological follow up contribute to the diagnosis of parkinsonian syndromes?: *commentary*, **290**
Pobereskin LH, Chadduck JB. Incidence of brain tumours in two English counties: a population based study, **464**
Poewe W *see* Benke T *et al*
Polasek J *see* Veltkamp R *et al*
Pollard JD *see* Barnett MH *et al*
Postert T *see* Federlein J *et al*
Postma A *see* Kessels RPC *et al*
Pouget J *see* Mariette X *et al*
Preece MA *see* Gray RGF *et al*
Preibisch C *see* Berg D *et al*
Preter M *et al.* Social deprivation and prevalence of epilepsy and associated health usage: *correspondence*, **837**
Przuntek H *see* Federlein J *et al*
Puls I *see* Giess R *et al*

Quinn N *see* Schrag A *et al*
Quinn NP *see* Münchau A *et al*
see Schrag A *et al*

Rabe-Hesketh S *see* Tomik B *et al*
Rabinstein A *et al.* Neurological emergencies: acute stroke: *correspondence*, **836**
Radtke RA *see* Armon C *et al*
Rahkonen T *et al.* Delirium episode as a sign of undetected dementia among community dwelling elderly subjects:, **519**
Rajshekhar V *see* Chacko G *et al*
Ralph MAL *see* Bozeat S *et al*
Rebuck JA *et al.* Infection related to intracranial pressure monitors in adults: analysis of risk factors and antibiotic prophylaxis, **381**
Reifenberger G *see* Kastenbauer S *et al*
Reiners C *see* Giess R *et al*
Reinges MHT *et al.* Prospective analysis of bedside percutaneous subdural tapping for the treatment of chronic subdural haematoma in adults, **40**
Restuccia D *et al.* Somatosensory evoked potentials after multisegmental lower limb stimulation in focal lesions of the lumbosacral spinal cord, **91**
Rettig GM *et al.* Neuropsychological outcome after unilateral pallidotomy for the treatment of Parkinson's disease, **326**
Reynolds EH *see* Bottiglieri T *et al*
Rhoney DH *see* Rebuck JA *et al*
Richardson D *et al.* Evaluating the role of botulinum toxin in the management of focal hypertonia in adults, **499**
Richter S *see* Timmann D *et al*
Riemann R *see* Giess R *et al*
Rigamonti D *see* Hillis AE *et al*
Roane DM *see* Bakheit AMO *et al*
Roberts I *see* Sandercock P *et al*
Roberts JK *see* Ciabarra AM *et al*
Rogers MA *et al.* Reliance on external cues during serial sequential movement in major depression, **237**
Roh J-K *see* Kang D-W *et al*

Rohde V *see* Reinges MHT *et al*
Romstöck J *see* Strauss C *et al*
Roos R *see* Maat-Kievit A *et al*
Roos RAC *see* Siesling S *et al*
Roosen K *see* Tonn J-C *et al*
Ropele S *see* Fazekas F *et al*
Rose C *see* Stojkovic T *et al*
Rose SE *et al*. Loss of connectivity in Alzheimer's disease: an evaluation of white matter tract integrity with colour coded MR diffusion tensor imaging, **528**
Rosenberg N *see* van der Kooi AJ *et al*
Rosengren LE *see* Tullberg M *et al*
Rosling H *see* Oluwole OSA *et al*
Ross B *see* Maschke M *et al*
Rossor M *see* Wang T *et al*
Rossor MN *see* Bell K *et al*
Roux F *et al*. Functional MRI and intraoperative brain mapping to evaluate brain plasticity in patients with brain tumours and hemiparesis, **453**
Rovaris M *see* Leocani L *et al*
Rovaris M *et al*. Relative contributions of brain and cervical cord pathology to multiple sclerosis disability: a study with magnetisation transfer ratio histogram analysis, **723**
Rowan AF *see* McCarter RJ *et al*
Rowlands D *see* Sutton I *et al*
Roy AJ *see* Wiesel PH *et al*
Ruidavets JB *see* Albucher JF *et al*
Russell NA *see* Wohaibi MA *et al*

Sáez-Valero J *et al*. Altered glycosylation of acetylcholinesterase in lumbar cerebrospinal fluid of patients with Alzheimer's disease, **664**
Saffer D *see* Eintracht S *et al*
Sahel M *see* Oppenheim C *et al*
Saito T *et al*. A case of Bickerstaff's brainstem encephalitis mimicking tetanus: *letter*, **695**
Sakurai M *see* Shimizu K *et al*
Sala F *et al*. Prognostic value of motor evoked potentials elicited by multipulse magnetic stimulation in a surgically induced transitory lesion of the supplementary motor area: a case report, **828**
Sala SD *see* Papagno C and Sala SD
Sala WD *see* Morini A *et al*
Saldanha G *see* Gabriel CM *et al*
Saldanha G *et al*. Marked increase of interleukin-6 in injured human nerves and dorsal root ganglia: *letter*, **693**
Salvi F *see* Iannucci G *et al*
Samii A *see* Pal PK *et al*
Sampath P *see* Hillis AE *et al*
Samson Y *see* Oppenheim C *et al*
Samuel M *see* Modarres H *et al*
Sander JWAS *see* Thompson PJ *et al*
Sandercock P *et al*. Snapshot view of emergency neurolosurgical head injury care: *correspondence*, **283**
see Dorman P *et al*
Sano K *see* Kohno M *et al*
Santamarta D *see* Martinez-Mañas RM *et al*
Santilli V *see* Restuccia D *et al*
Santuccio G *see* Ferri C *et al*
see Rovaris M *et al*
Savage COS *see* Cooper JC *et al*
Säveland H *see* Nilsson OG *et al*
Scheltens P *see* Wahlund L-O *et al*
Schick U *see* Marquardt G *et al*
Schlake H-P *see* Tonn J-C *et al*
Schmidt H *see* Fazekas F *et al*
Schmidt R *see* Fazekas F *et al*
Schmitt M *see* Castelnovo G *et al*
Schneider L *see* Doody RS *et al*
Schon F *see* Modarres H *et al*
Schrag A *et al*. The EQ-5D—a generic quality of life measure—is a useful instrument to measure quality of life in patients with Parkinson's disease, **67**
What contributes to quality of life in patients with Parkinson's disease?, **308**
Schramm J *see* Lendt M *et al*
Schroeder F *see* Schroeder S *et al*
Schroeder S *et al*. Lysozyme in ventriculitis: a marker for diagnosis and disease progression: *letter*, **696**
Schulzer M *see* Pal PK *et al*
Schwab S *see* Schwarz S *et al*
Schwarz S *et al*. Acute disseminated encephalomyelitis after parenteral therapy with herbal extracts: a report of two cases, **516**
Sciacca FL *see* Ferri C *et al*
Sciarma T *see* Piccirilli M *et al*
Seeck M *see* Blanke O *et al*
Segawa H *see* Kohno M *et al*
Segawa Y *see* Hanakawa T *et al*
Seki K *see* Ishiai S *et al*
Selai C *see* Schrag A *et al*
Semple J *see* Rose SE *et al*
Seneviratne SL *see* Peiris DTS *et al*
Sharma P *see* Wang T *et al*
Sharma SD *see* Wang T *et al*
Shaw CE *see* Tomik B *et al*
Shaw P *see* McDermott C *et al*
Sheean G *see* Richardson D *et al*
Sheen VL *see* Do D *et al*
Shibasaki H *see* Hanakawa T *et al*
Shibuya N *see* Goto H *et al*
Shikama Y *see* Misu K *et al*
Shill HA, Stacy MA. Malignant catatonia secondary to sporadic encephalitis lethargica: *letter*, **402**
Shimizu K *et al*. Vestibular evoked myogenic potentials in multiple sclerosis: *letter*, **276**
Shimizu N *see* Ono S *et al*
Shimizu T *see* Takeda K *et al*
Shio H *see* Yamauchi H *et al*
Shozawa Y *see* Takeda K *et al*
Siafakas A *see* Gatzonis SD *et al*
Sieb JP, Hartmann A. Relapsing alternating ptosis in two siblings: *letter*, **282**
Siemers E *see* Kirkwood SC *et al*
Siesling S *et al*. Family history and DNA analysis in patients with suspected Huntington's disease, **54**
Sigounas E *see* Gatzonis SD *et al*
Silber E *see* Eintracht S *et al*
Silber E. Upper limb motor function at 5000 metres: determinants of performance and residual sequelae, **233**
Silveri MC *see* Leggio MG *et al*
Sisodiya SM *see* Donaghy M *et al*
Sivenius J *see* Rahkonen T *et al*
Small DH *see* Sáez-Valero J *et al*
Smith AD *see* Lehmann DJ *et al*
see Nagy Z *et al*
Smith MZ *see* Nagy Z *et al*
Smith-Weller T *see* Costa-Mallen P *et al*
Sobrido MJ *et al*. Low frequency of replication errors in primary nervous system tumours, **369**
Sobue G *see* Misu K *et al*
see Terao S *et al*
Sobue TM
see Terao S *et al*
Soliveri P *et al*. Neuropsychological follow up in patients with Parkinson's disease, striatonigral degeneration-type multisystem atrophy, and progressive supranuclear palsy, **313**
Song IC *see* Kang D-W *et al*
Song JX *see* di Stefano G *et al*
Sonnenberg P *see* Eintracht S *et al*
Sonoo M *see* Takeda K *et al*
Sormani MP *see* Rovaris M *et al*
Southern P *see* Maddison P *et al*
Sparrow OC *see* Duffill J *et al*
Spence SA. Between will and action: *correspondence*, **702**
Stacy MA *see* Shill HA and Stacy MA
Stähl N *see* Nilsson OG *et al*
Stamatelopoulos S *see* Vemmos KN *et al*
Stamboulis E *see* Gatzonis SD *et al*
Steinling M *see* Charpentier P *et al*
Stocchetti N *see* Vos PE *et al*
Stojkovic T *et al*. Atypical form of non-Langerhans histiocytosis with disseminated brain and leptomeningeal lesions, **675**
Storch-Hagenlocher B *see* Schwarz S *et al*
Storrie JB *see* Wiesel PH *et al*
Strang P *see* Blomqvist P *et al*
Strassegger J *see* Finsterer J *et al*
Strasser-Fuchs S *see* Fazekas F *et al*
Strauss C *et al*. Contralateral hearing loss as an effect of venous congestion at the ipsilateral inferior colliculus after microvascular decompression: report of a case, **679**
Strugnell WE *see* Rose SE *et al*
Stuerenburg HJ *see* Schroeder S *et al*
Stuerenburg HJ, Eggers C. Early detection of non-compliance in Wilson's disease by consecutive copper determination in cerebrospinal fluid: *letter*, **701**
Stuerenburg HJ *et al*. Acute adverse reaction to fentanyl in a 55 year old man: *letter*, **281**
Sugimoto N *see* Saito T *et al*
Sulkava R *see* Rahkonen T *et al*
Susuki K *see* Yuki N *et al*
Sutton I *et al*. Limbic encephalitis and antibodies to Ma2:, **266**
Suzuka T *see* Umemura A *et al*

Takahashi A *see* Terao S *et al*
Takahashi H *see* Kohno M *et al*
see Tani T *et al*
Takeda A *see* Terao S *et al*
Takeda K *et al*. The rostrocaudal gradient for somatosensory perception in the human postcentral gyrus: *letter*, **692**
Takegami T *see* Misu K *et al*
Takis CE *see* Vemmos KN *et al*
Tanaka K *see* Tani T *et al*
Tandberg E *see* Karlsen KH *et al*
Tani T *et al*. Chorea resulting from paraneoplastic striatal encephalitis, **512**
Tapia R *see* Thomas PK *et al*

Tarafder J *see* Kennedy P and Tarafder J
Teasdale GM *see* Wilson JTL *et al*
Tei H. Right ipsilateral hypersensation in a case of anosognosia for hemiplegia and personal neglect with the patient's subjective experience: *letter*, **274**
Terao S *et al.* Coexisting vertical and horizontal one and a half syndromes: *letter*, **401**
Course and distribution of facial corticobulbar tract fibres in the lower brain stem, **262**
Testa D *see* Soliveri P *et al*
Thijssen HOM *see* Vos PE *et al*
Thomas PK *et al.* Neurological manifestations in chronic mountain sickness: the burning feet-burning hands syndrome, **447**
Thompson A *see* Richardson D *et al*
Thompson AJ *see* Freeman JA and Thompson AJ
Thompson AJ. Neurological rehabilitation: from mechanisms to management, **718**
Thompson PJ *et al.* Effects of topiramate on cognitive function, **636**
Thut G *see* Blanke O *et al*
Tilakaratna YT *see* Peiris DTS *et al*
Tilikete C *et al.* Idiopathic ocular neuromyotonia: a neurovascular compression syndrome?, **642**
Timmann D *et al.* Predictive control of muscle responses to arm perturbations in cerebellar patients, **345**
Tisell M *see* Tullberg M *et al*
Toga AW *see* Mega MS *et al*
Tomik B *et al.* Phenotypic differences between African and white patients with motor neuron disease: a case-control study, **251**
Tonali P *see* Restuccia D *et al*
Tonn J-C *et al.* Acoustic neuroma surgery as an interdisciplinary approach: a neurosurgical series of 508 patients, **161**
Toone B. Cerebral dysfunction and psychotic symptoms in Alzheimer's disease: *commentary*, **148**
Toone BK *see* Bottiglieri T *et al*
Toone BK. The psychoses of epilepsy: *editorial*, **1**
Toosy AT *see* Werring DJ *et al*
Törnqvist H *see* Blomqvist P *et al*
Toyka KV *see* Giess R *et al*
see Kiefer R *et al*
Trabucchi M *see* Geroldi C *et al*
Tremoulet M *see* Roux F *et al*
Trimble MR *see* Brown RJ and Trimble MR
Tripathi M *see* Goyal V and Tripathi M
Trivedi R *et al.* Focal amyotrophy in neurofibromatosis 2, **257**
Tsibouris PK *see* Vemmos KN *et al*
Tsumura M *see* Ono S *et al*
Tullberg M *et al.* CSF sulfatide distinguishes between normal pressure hydrocephalus and subcortical arteriosclerotic encephalopathy, **74**
Turnbull IM *see* Pal PK *et al*
Turner B *see* Lewis M *et al*

Ubezio M *see* Geroldi C *et al*
Ugur C *et al.* Characteristics of falling in patients with stroke, **649**
Umemura A *et al.* Quantitative measurement of cerebral blood flow by ^{99m}Tc-HMPAO SPECT in acute ischaemic stroke: usefulness in determining therapeutic options, **472**
Usuki F, Maruyama K. Ataxia caused by mutations in the α-tocopherol transfer protein gene, **254**
Uzuner N *see* Ugur C *et al*

Valenza N *see* Assal F *et al*
Valeriani M *see* Restuccia D *et al*
Vallat J-M *see* Mariette X *et al*
van den Berg-Vos R *see* van der Kooi AJ *et al*
van der Kooi AJ *et al.* Extension of the clinical range of facioscapulohumeral dystrophy: report of six cases, **114**
van Haeringen A *see* Maat-Kievit A *et al*
Vanier V *et al.* Bilateral visual improvement after unilateral optic canal decompression and cranial vault expansion in a patient with osteopetrosis, narrowed optic canals, and increased intracranial pressure: *letter*, **405**
van Landeghem FKH *see* Meissner W *et al*
van Leusen H, Perquin WVM. Spinal cord schistosomiasis, **690**
van Stavern GP *et al.* Downbeat nystagmus from heat stroke: *letter*, **403**
Vargas M *see* Thomas PK *et al*
Vattanasilp W *et al.* Contribution of thixotropy, spasticity, and contracture to ankle stiffness after stroke, **34**
Veglia F *see* Ferri C *et al*
Veltkamp R *et al.* Late onset postpartum eclampsia without pre-eclamptic prodromi: clinical and neuroradiological presentation in two patients, **824**
Vemmos KN *et al.* Prognosis of stroke in the south of Greece: 1 year mortality, functional outcome and its determinants: the Arcadia Stroke Registry, **595**
Vermersch P *see* Stojkovic T *et al*
Vial C *see* Mariette X *et al*
see Tilikete C *et al*
Vieregge A *see* Jacobs H *et al*
Vieregge P *see* Jacobs H *et al*
see Kis B *et al*
Vighetto A *see* Tilikete C *et al*
Viola L *see* Morini A *et al*
Visser MC *see* van der Kooi AJ *et al*
Vogels OJM *see* Vos PE *et al*
Vogrin SJ *see* Bower SPC *et al*
Vos PE *et al.* Mass volume measurement in severe head injury: *correspondence*, **406**

Wade D *see* Haggard P *et al*
see Harwood RH *et al*
Wahlund L-O *et al.* Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia: a comparative study, **630**
Wakabayashi K *see* Tani T *et al*
Walter-Sack I *see* Schwarz S *et al*
Walton NH *see* McCarter RJ *et al*
Wang T *et al.* Description of a simple test for CADASIL disease and determination of mutation frequencies in sporadic ischaemic stroke and dementia patients, **652**
Ward CD. What contributes to quality of life in patients with Parkinson's disease?: *commentary*, **289**
Warlow C. Proceedings of the Association of British Neurologists, University of Exeter, 5-7 April, 2000, **410**
Wasserberg J *see* Sandercock P *et al*
Watabe T *see* Morota N *et al*
Weber S *see* Federlein J *et al*
Wechsler B *see* Oppenheim C *et al*
Weerasena LP *see* Peiris DTS *et al*
Werner E *see* Giess R *et al*
Werring D *see* Richardson D *et al*
Werring DJ *et al.* Diffusion tensor imaging can detect and quantify corticospinal tract degeneration after stroke, **269**
Wester K, Moen G. Documented growth of a temporal arachnoid cyst: *letter*, **699**
White K *see* McDermott C *et al*
White N *see* Newton CRJC *et al*
White PD *see* Fulcher KY and White PD
Whitehouse W *see* Gray RGF *et al*
Wiesel PH *et al.* Gut focused behavioural treatment (biofeedback) for constipation and faecal incontinence in multiple sclerosis, **240**
Wijesiriwardena B *see* Peiris DTS *et al*
Wikkelsø C *see* Tullberg M *et al*
Wilder-Smith E *see* Lim EC *et al*
Williams SCR *see* Markus HS *et al*
Wills AJ *see* Lewis M *et al*
Wilson JTL *et al.* Emotional and cognitive consequences of head injury in relation to the Glasgow outcome scale, **204**
Wilson RS *et al.* Hallucinations, delusions, and cognitive decline in Alzheimer's disease, **172**
Winer J *see* Gray RGF *et al*
see Sutton I *et al*
Winer JB *see* Cooper JC *et al*
Winner S *see* Harwood RH *et al*
Wohaibi MA *et al.* Pituitary apoplexy presenting as massive subarachnoid haemorrhage: *letter*, **700**
Wokke JHJ *see* van der Kooi AJ *et al*
Wong A *see* Chan DKY *et al*
Wooding DS *see* Pambakian ALM *et al*
Workman JM *see* Thomas PK *et al*
Wren D *see* Crawley F *et al*

Xuereb J *see* Lantos PL *et al*

Yamada K *see* Umemura A *et al*
Yamamoto M *see* Misu K *et al*
Yamauchi H *et al.* Comparison of the pattern of atrophy of the corpus callosum in frontotemporal dementia, progressive supranuclear palsy, and Alzheimer's disease, **623**
Yang F *see* Barnett MH *et al*
Yardley S *see* Pal PK *et al*
Yates D *see* Sandercock P *et al*
Yen LM *see* Farrar JJ *et al*
Yiangou Y *see* Saldanha G *et al*
Yoon B-W *see* Kang D-W *et al*
York MK *see* Rettig GM *et al*
Yoshihara T *see* Misu K *et al*
Yousry TA *see* Kastenbauer S *et al*
see Veltkamp R *et al*
Yuki N *see* Derakhshan I and Yuki N
see Saito T *et al*
Yuki N *et al.* Ataxic form of Guillain-Barré syndrome associated with anti-GD1b IgG antibody: *letter*, **136**

Zanetti O *see* Geroldi C *et al*
Zelaya FO *see* Rose SE *et al*
Zimmerman C *see* Vos PE *et al*
Zis VP *see* Vemmos KN *et al*
Zoeteweij M *see* Maat-Kievit A *et al*

VOLUME 69 • SUBJECT INDEX

acetylcholinesterase, Altered glycosylation of acetylcholinesterase in lumbar cerebrospinal fluid of patients with Alzheimer's disease, **664**

acoustic neuroma, Acoustic neuroma surgery as an interdisciplinary approach: a neurosurgical series of 508 patients, **161**

acoustic neuroma surgery, Acoustic neuroma surgery as an interdisciplinary approach: *commentary*, **147**

acute cerebellar ataxia, Ataxic form of Guillain-Barré syndrome associated with anti-GD1b IgG antibody: *letter*, **136**

acute disseminated encephalomyelitis, Acute disseminated encephalomyelitis after parenteral therapy with herbal extracts: a report of two cases, **516**

acute ischaemic stroke, Quantitative measurement of cerebral blood flow by ^{99m}Tc-HMPAO SPECT in acute ischaemic stroke: usefulness in determining therapeutic options, **472**

adenosine deaminase, Analysis of adenosine deaminase isoenzyme-2 (ADA_2) in cerebrospinal fluid in the diagnosis of tuberculous meningitis: *letter*, **137**

Adie's pupil, An axonal form of Charcot-Marie-Tooth disease showing distinctive features in association with mutations in the peripheral myelin protein zero gene (Thr124Met or Asp75Val), **806**

adverse effect, Acute disseminated encephalomyelitis after parenteral therapy with herbal extracts: a report of two cases, **516**

adverse reaction, Acute adverse reaction to fentanyl in a 55 year old man: *letter*, **281**

aetiology, Familial aggregation of Parkinson's disease in a Finnish population, **107**

age, Folate in CSF and age: *letter*, **562**

alien hand syndrome, Between will and action: *correspondence*, **702**

allele frequencies, Description of a simple test for CADASIL disease and determination of mutation frequencies in sporadic ischaemic stroke and dementia patients, **652**

alternative medication, Lead poisoning from complementary and alternative medicine in multiple sclerosis: *lesson of the month*, **687**

altitude, Upper limb motor function at 5000 metres: determinants of performance and residual sequelae, **233**

Alzheimer's disease, Altered glycosylation of acetylcholinesterase in lumbar cerebrospinal fluid of patients with Alzheimer's disease, **664**

Alzheimer's disease and frontotemporal dementia are differentiated by discriminant analysis applied to ^{99m}Tc HmPAO SPECT data, **661**

Apolipoprotein E ε2 may be a risk factor for sporadic frontotemporal dementia: *letter*, **404**

Cerebral dysfunction and psychotic symptoms in Alzheimer's disease: *commentary*, **148**

Comparison of the pattern of atrophy of the corpus callosum in frontotemporal dementia, progressive supranuclear palsy, and Alzheimer's disease, **623**

Does APO ε4 correlate with MRI changes in Alzheimer's disease?, **668**

Hallucinations, delusions, and cognitive decline in Alzheimer's disease, **172**

Hyperhomocysteinaemia in Alzheimer's disease and expression of cell cycle markers in the brain: *letter*, **565**

Loss of connectivity in Alzheimer's disease: an evaluation of white matter tract integrity with colour coded MR diffusion tensor imaging, **528**

Temporal lobe asymmetry in patients with Alzheimer's disease with delusions, **187**

Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia: a comparative study, **630**

Which neuropsychiatric and behavioural features distinguish frontal and temporal variants of frontotemporal dementia from Alzheimer's disease?, **178**

ammonia, Late onset heterozygous ornithine transcarbamylase deficiency mimicking complex partial status epilepticus, **813**

amusia, Modularity of music: evidence from a case of pure amusia, **541**

amyotrophic lateral sclerosis, Increased expression of insulin-like growth factor I in skin in amyotrophic lateral sclerosis, **199**

Injection of botulinum toxin A into the salivary glands improve sialorrhoea in amyotrophic lateral sclerosis, **121**

amyotrophy, Focal amyotrophy in neurofibromatosis 2, **257**

anatomical variations, Proximal median mononeuropathy associated with an anomalous deep course through the brachialis muscle: *letter*, **698**

aneurysmal haemorrhage, Aneurysmal haemorrhage: partialling out the effect of the bleed: *commentary*, **572**

angioplasty, Bilateral stenting of symptomatic and asymptomatic internal carotid artery stenosis due to fibromuscular dysplasia, **683**

anosognosia, Dissociation of anosognosia and phantom movement during the Wada test, **820**

Right ipsilateral hypersensation in a case of anosognosia for hemiplegia and personal neglect with the patient's subjective experience: *letter*, **274**

antibiotic, Infection related to intracranial pressure monitors in adults: analysis of risk factors and antibiotic prophylaxis, **381**

anti-GD1b antibody, Ataxic form of Guillain-Barré syndrome associated with anti-GD1b IgG antibody: *letter*, **136**

antigen presentation, Enhanced B7 costimulatory molecule expression in inflammatory human sural nerve biopsies, **362**

anti-Ma2 antibodies, Limbic encephalitis and antibodies to Ma2:, **266**

anti-MAG antibody, A randomised double blind trial versus placebo does not confirm the benefit of α-interferon in polyneuropathy associated with monoclonal IgM: *letter*, **279**

antimalarial drugs, Cerebral malaria: *review*, **433**

apolipoprotein E, Does APO ε4 correlate with MRI changes in Alzheimer's disease?, **668**

apolipoprotein E ε4, Apolipoprotein E ε2 may be a risk factor for sporadic frontotemporal dementia: *letter*, **404**

apolipoprotein E genotype, Apolipoprotein E genotype related differences in brain lesions of multiple sclerosis, **25**

apomorphine, Systematic review of acute levodopa and apomorphine challenge tests in the diagnosis of idiopathic Parkinson's disease, **590**

arachnoid, Documented growth of a temporal arachnoid cyst: *letter*, **699**

Arnold-Chiari malformation, Arnold-Chiari malformation and nystagmus of skew, **124**

arterial pulse, Carotid brainstem reflex myoclonus after hypoxic brain damage, **672**

asystole, Brain seizes, heart ceases: a case of ictal asystole: *lesson of the month*, **557**

ataxia, Persistence of tropical ataxic neuropathy in a Nigerian community, **96**

ataxia with vitamin E deficiency, Ataxia caused by mutations in the α-tocopherol transfer protein gene, **254**

attention, Line versus representational bisections in unilateral spatial neglect, **745**

auditory pathways, Contralateral hearing loss as an effect of venous congestion at the ipsilateral inferior colliculus after microvascular decompression: report of a case, **679**

Australia, Validating a screening questionnaire for parkinsonism in Australia, **117**

autoimmune disease, Epilepsy: an autoimmune disease?: *editorial*, **711**

automated DNA analysis, Low frequency of replication errors in primary nervous system tumours, **369**

autonomic neuropathy, Chronic autonomic neuropathy in a patient with primary Sjögren's syndrome: *letter*, **135**

B7, Enhanced B7 costimulatory molecule expression in inflammatory human sural nerve biopsies, **362**

Balò-like, Vanishing Balò-like lesions in multiple sclerosis, **399**

basal ganglia, Unilateral lesions of the globus pallidus: report of four patients presenting with focal or segmental dystonia, **494**

behaviour, Behavioural disorders in children with epilepsy: early improvement after surgery, **739**

Cerebral correlates of psychotic symptoms in Alzheimer's disease, **167**

Bickerstaff, Guillain-Barré, Fisher, and Bickerstaff syndromes: nature versus well established ideas: *correspondence*, **703**

Bickerstaff's brainstem encephalitis, A case of Bickerstaff's brainstem encephalitis mimicking tetanus: *letter*, **695**

biofeedback, Gut focused behavioural treatment (biofeedback) for constipation and faecal incontinence in multiple sclerosis, **240**

botulinum toxin, Botulinum toxin and spasticity: *editorial*, **143**

Impact of botulinum toxin type A on disability and carer burden due to arm spasticity after stroke: a randomised double blind placebo controlled trial, **217**

botulinum toxin A, Evaluating the role of botulinum toxin in the management of focal hypertonia in adults, **499**

Injections of botulinum toxin A into the salivary glands improve sialorrhoea in amyotrophic lateral sclerosis, **121**

bradycardia, Brain seizes, heart ceases: a case of ictal asystole: *lesson of the month*, **557**

brain, Relative contributions of brain and cervical cord pathology to multiple sclerosis disability: a study with magnetisation transfer ratio histogram analysis, **723**

brain asymmetry, Temporal lobe asymmetry in patients with Alzheimer's disease with delusions, **187**

brain mapping, Cerebral correlates of psychotic symptoms in Alzheimer's disease, **167**

brain neoplasms, Brain tumours in Sweden 1996: care and costs, **792**

brain plasticity, Functional MRI and intraoperative brain mapping to evaluate brain plasticity in patients with brain tumours and hemiparesis, **453**
brain stem, Coexisting vertical and horizontal one and a half syndromes: *letter*, **401**
Course and distribution of facial corticobulbar tract fibres in the lower brain stem, **262**
brain tumour, Functional MRI and intraoperative brain mapping to evaluate brain plasticity in patients with brain tumours and hemiparesis, **453**
Prognostic value of motor evoked potentials elicited by multipulse magnetic stimulation in a surgically induced transitory lesion of the supplementary motor area: a case report, **828**
breast cancer, Limbic encephalitis and antibodies to Ma2:, **266**
burning feet-burning hands syndrome, Neurological manifestations in chronic mountain sickness: the burning feet-burning hands syndrome, **447**

CADASIL, Description of a simple test for CADASIL disease and determination of mutation frequencies in sporadic ischaemic stroke and dementia patients, **652**
CAG repeat, Family history and DNA analysis in patients with suspected Huntington's disease, **54**
calf muscles, Contribution of thixotropy, spasticity, and contracture to ankle stiffness after stroke, **34**
carbamazepine, Idiopathic ocular neuromyotonia: a neurovascular compression syndrome?, **642**
carotid dysplasia, Bilateral stenting of symptomatic and asymptomatic internal carotid artery stenosis due to fibromuscular dysplasia, **683**
carotid sinus, Carotid brainstem reflex myoclonus after hypoxic brain damage, **672**
carotid surgery, Bilateral stenting of symptomatic and asymptomatic internal carotid artery stenosis due to fibromuscular dysplasia, **683**
cataract, Sunflower cataract in Wilson's disease, **133**
catatonia, Malignant catatonia secondary to sporadic encephalitis lethargica: *letter*, **402**
cell cycle, Hyperhomocysteinaemia in Alzheimer's disease and expression of cell cycle markers in the brain: *letter*, **565**
central nervous system tumours, Low frequency of replication errors in primary nervous system tumours, **369**
cerebellopontine angle surgery, Contralateral hearing loss as an effect of venous congestion at the ipsilateral inferior colliculus after microvascular decompression: report of a case, **679**
cerebellum, Phonological grouping is specifically affected in cerebellar patients: a verbal fluency study, **102**
Predictive control of muscle responses to arm perturbations in cerebellar patients, **345**
cerebral activation pattern, Cerebral activation pattern in primary writing tremor, **780**
cerebral blood flow., Reduced cerebral blood flow in white matter in ischaemic leukoaraiosis demonstrated using quantitative exogenous contrast based perfusion MRI, **48**
cerebral dysfunction, Cerebral dysfunction and psychotic symptoms in Alzheimer's disease: *commentary*, **148**
cerebral infarction, Neuronal metabolic changes in the cortical region after subcortical infarction: a proton MR spectroscopy study, **222**
cerebral tumour, Multiple lesions originating from the ventricular wall, **273**
cerebral venous thrombosis, Cerebral venous thrombosis: anticoagulants or thrombolyic therapy?: *editorial*, **427**
cerebrospinal fluid, Early detection of non-compliance in Wilson's disease by consecutive copper determination in cerebrospinal fluid: *letter*, **701**
cerebrospinal fluid cytology, Atypical form of non-Langerhans histiocytosis with disseminated brain and leptomeningeal lesions, **675**
cerebrovascular circulation, Reduced cerebral blood flow in white matter in ischaemic leukoaraiosis demonstrated using quantitative exogenous contrast based perfusion MRI, **48**
cerebrovascular disease, Characteristics of falling in patients with stroke, **649**
cervical cord, Relative contributions of brain and cervical cord pathology to multiple sclerosis disability: a study with magnetisation transfer ratio histogram analysis, **723**
cervical dystonia, Effect of prolonged neck muscle vibration on lateral head tilt in severe spasmodic torticollis, **658**
cervical fusion, C1/C2 rotary subluxation due to spasmodic torticollis: *letter*, **135**
Charcot-Marie-Tooth disease type II, An axonal form of Charcot-Marie-Tooth disease showing distinctive features in association with mutations in the peripheral myelin protein zero gene (Thr124Met or Asp75Val), **806**
Charles Bonnet syndrome, Charles Bonnet syndrome: an example of cortical dissociation syndrome affecting vision?: *correspondence*, **704**
chemosensitivity, Unilateral focal lesions in the rostrolateral medulla influence chemosensitivity and breathing measured during wakefulness, sleep, and exercise: *correspondence*, **138**
Chiari, Isolated Horner's syndrome and syringomyelia: *lesson of the month*, **131**
children, Behavioural disorders in children with epilepsy: early improvement after surgery, **739**
chorea, Chorea resulting from paraneoplastic striatal encephalitis, **512**
Moyamoya disease presenting with singing induced chorea: *letter*, **833**
chronic fatigue syndrome, Chronic fatigue syndrome: is it physical?: *commentary*, **289**
Strength and physiological response to exercise in patients with chronic fatigue syndrome, **302**
chronic meningitis, Primary diffuse leptomeningeal gliomatosis: unusual MRI with non-enhancing nodular lesions on the cerebellar surface and spinal leptomeningeal enhancement, **385**
chronic mountain sickness, Neurological manifestations in chronic mountain sickness: the burning feet-burning hands syndrome, **447**
chronic subdural haematoma, Prospective analysis of bedside percutaneous subdural tapping for the treatment of chronic subdural haematoma in adults, **40**
circle of Willis, The circle of Willis (1621–75), **86**
cluster analysis, Phonological grouping is specifically affected in cerebellar patients: a verbal fluency study, **102**
cluster headache, Relapsing alternating ptosis in two siblings: *letter*, **282**
cognition, Neuropsychological outcome after unilateral pallidotomy for the treatment of Parkinson's disease, **326**
cognitive decline, Hallucinations, delusions, and cognitive decline in Alzheimer's disease, **172**
cognitive impairment, Electroencephalographic coherence analysis in multiple sclerosis: correlation with clinical, neuropsychological, and MRI findings, **192**
cognitive outcome, Cognitive impairments after surgical repair of ruptured and unruptured aneurysms, **608**
coherence, Electroencephalographic coherence analysis in multiple sclerosis: correlation with clinical, neuropsychological, and MRI findings, **192**
coma, Cerebral malaria: *review*, **433**
community services, Community services in multiple sclerosis: still a matter of chance, **728**
Unmet needs in multiple sclerosis: the role of community services: *commentary*, **715**
complementary medication, Lead poisoning from complementary and alternative medicine in multiple sclerosis: *lesson of the month*, **687**
complications, Camino® intracranial pressure monitor: prospective study of accuracy and complications, **82**
computed tomography, Temporal lobe asymmetry in patients with Alzheimer's disease with delusions, **187**
constipation, Gut focused behavioural treatment (biofeedback) for constipation and faecal incontinence in multiple sclerosis, **240**
contralateral hearing loss, Contralateral hearing loss as an effect of venous congestion at the ipsilateral inferior colliculus after microvascular decompression: report of a case, **679**
contrast media, Ultrasonic evaluation of pathological brain perfusion in acute stroke using second harmonic imaging, **616**
copper, Early detection of non-compliance in Wilson's disease by consecutive copper determination in cerebrospinal fluid: *letter*, **701**
corpus callosum, Comparison of the pattern of atrophy of the corpus callosum in frontotemporal dementia, progressive supranuclear palsy, and Alzheimer's disease, **623**
cortical dissociation syndrome, Charles Bonnet syndrome: an example of cortical dissociation syndrome affecting vision?: *correspondence*, **704**
cortical stimulation, Functional MRI and intraoperative brain mapping to evaluate brain plasticity in patients with brain tumours and hemiparesis, **453**
corticobasal degeneration, Diagnostic criteria for corticobasal degeneration: *correspondence*, **705**
Immunohistochemistry distinguishes between Pick's disease and corticobasal degeneration: *letter*, **835**
corticobasal ganglionic degeneration, Corticobasal ganglionic degeneration and/or frontotemporal dementia?: *correspondence*, **705**
corticobulbar tract, Course and distribution of facial corticobulbar tract fibres in the lower brain stem, **262**
cost of illness, Brain tumours in Sweden 1996: care and costs, **792**
cryptococcal meningitis, Analysis of adenosine deaminase isoenzyme-2 (ADA_2) in cerebrospinal fluid in the diagnosis of tuberculous meningitis: *letter*, **137**
cyst, Documented growth of a temporal arachnoid cyst: *letter*, **699**

degenerative disease, Can diffusion weighted magnetic resonance imaging help differentiate stroke from stroke-like events in MELAS?, **248**
delayed radiation myelopathy, Clinical and MRI discordance in a case of delayed radiation myelopathy: *letter*, **563**
delirium, Delirium episode as a sign of undetected dementia among community dwelling elderly subjects:, **519**
delusional misidentification, Misidentification syndromes related to face specific area in the fusiform gyrus, **645**

delusions, Temporal lobe asymmetry in patients with Alzheimer's disease with delusions, **187**
dementia, Delirium episode as a sign of undetected dementia among community dwelling elderly subjects:, **519**
Folate in CSF and age: *letter,* **562**
Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia: a comparative study, **630**
Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia: *commentary,* **572**
depression, Folate in CSF and age: *letter,* **562**
Homocysteine, folate, methylation, and monoamine metabolism in depression, **228**
Sexuality in young patients with Parkinson's disease: a population based comparison with healthy controls, **550**
diagnosis, Altered glycosylation of acetylcholinesterase in lumbar cerebrospinal fluid of patients with Alzheimer's disease, **664**
Prospective study of the usefulness of sural nerve biopsy, **442**
diencephalic seizure, Treatment of paroxysmal sympathetic storm with labetalol: *letter,* **832**
diffusion tensor, Diffusion tensor imaging can detect and quantify corticospinal tract degeneration after stroke, **269**
diffusion tensor MRI, Loss of connectivity in Alzheimer's disease: an evaluation of white matter tract integrity with colour coded MR diffusion tensor imaging, **528**
diffusion weighted image, Can diffusion weighted magnetic resonance imaging help differentiate stroke from stroke-like events in MELAS?, **248**
discriminant analysis, Alzheimer's disease and frontotemporal dementia are differentiated by discriminant analysis applied to ^{99m}Tc HmPAO SPECT data, **661**
dissociation, Dissociative psychopathology, non-epileptic seizures, and neurology: *editorial,* **285**
Epilepsy: an autoimmune disease?: *editorial,* **711**
dizziness, Assessment and treatment of dizziness: *correspondence,* **706**
dopamine D2 receptors, Genetic polymorphism of dopamine D2 receptors in Parkinson's disease and interactions with cigarette smoking and MAO-B intron 13 polymorphism, **535**
double dissociation, Spatial memory impairment in patients after tumour resection: evidence for a double dissociation, **389**
dual task interference, Interference between gait and cognitive tasks in a rehabilitating neurological population, **479**
dyskinesia, Long term outcome of unilateral pallidotomy: follow up of 15 patients for 3 years, **337**
dystonia, Unilateral lesions of the globus pallidus: report of four patients presenting with focal or segmental dystonia, **494**

early clinical signs, Subtle changes among presymptomatic carriers of the Huntington's disease gene, **773**
eccrine glands, Chronic autonomic neuropathy in a patient with primary Sjögren's syndrome: *letter,* **135**
eclampsia, Late onset postpartum eclampsia without pre-eclamptic prodromi: clinical and neuroradiological presentation in two patients, **824**
elderly, Delirium episode as a sign of undetected dementia among community dwelling elderly subjects:, **519**
electroconvulsive therapy, Malignant catatonia secondary to sporadic encephalitis lethargica: *letter,* **402**
electromyography (EMG), Evaluating the role of botulinum toxin in the management of focal hypertonia in adults, **499**
embouchure, Anterior superior alveolar neuropathy: an occupational neuropathy of the embouchure: *letter,* **563**
encephalitis lethargica, Malignant catatonia secondary to sporadic encephalitis lethargica: *letter,* **402**
encephaloduroarteriosynangiosis, Moyamoya disease presenting with singing induced chorea: *letter,* **833**
endoscopy, Anatomical variants in the floor of the third ventricle; implications for endoscopic third ventriculostomy, **531**
epidemiology, Incidence of brain tumours in two English counties: a population based study, **464**
epidural, Can spontaneous spinal epidural haematoma be managed safely without operation? a report of four cases, **816**
epilepsy, Acute psychosis and EEG normalisation after vagus nerve stimulation: *letter,* **278**
Behavioural disorders in children with epilepsy: early improvement after surgery, **739**
Effects of topiramate on cognitive function, **636**
Epilepsy: an autoimmune disease?: *editorial,* **711**
Late onset heterozygous ornithine transcarbamylase deficiency mimicking complex partial status epilepticus, **813**
Social deprivation and prevalence of epilepsy and associated health usage, **13**
Social deprivation and prevalence of epilepsy and associated health usage: *correspondence,* **837**
The psychoses of epilepsy: *editorial,* **1**
EQ-SD, The EQ-5D—a generic quality of life measure—is a useful instrument to measure quality of life in patients with Parkinson's disease, **67**
exercise, Strength and physiological response to exercise in patients with chronic fatigue syndrome, **302**
eye movement recordings, Arnold-Chiari malformation and nystagmus of skew, **124**
eye movements, Scanning the visual world: a study of patients with homonymous hemianopia, **751**

face apraxia, Crossed face apraxia: *letter,* **694**
facial nerve, Acoustic neuroma surgery as an interdisciplinary approach: a neurosurgical series of 508 patients, **161**
Course and distribution of facial corticobulbar tract fibres in the lower brain stem, **262**
facioscapulohumeral muscular dystrophy, Extension of the clinical range of facioscapulohumeral dystrophy: report of six cases, **114**
faecal incontinence, Gut focused behavioural treatment (biofeedback) for constipation and faecal incontinence in multiple sclerosis, **240**
falling, Characteristics of falling in patients with stroke, **649**
fear, Fear can interrupt the continuum of memory: *commentary,* **431**
febrile seizures, Degree of hippocampal atrophy is not related to a history of febrile seizures in patients with proved hippocampal sclerosis, **733**
Hippocampal sclerosis: cause or consequence of febrile seizures: *commentary,* **716**
fentanyl, Acute adverse reaction to fentanyl in a 55 year old man: *letter,* **281**
fever, Neuroleptic malignant syndrome without fever: a report of three cases: *letter,* **277**
fiberoptic device, Camino® intracranial pressure monitor: prospective study of accuracy and complications, **82**
filgrastim, Reversible posterior leukencephalopathy syndrome induced by granulocyte stimulating factor filgrastim: *letter,* **280**
finger contracture, Isolated finger flexion: a novel form of focal neuromyotonia, **110**
Fisher, Guillain-Barré, Fisher, and Bickerstaff syndromes: nature versus well established ideas: *correspondence,* **703**
fissure of Sylvius, The fissure of Sylvius (1614–72), **463**
fitness, Strength and physiological response to exercise in patients with chronic fatigue syndrome, **302**
flail arm variant, Phenotypic differences between African and white patients with motor neuron disease: a case-control study, **251**
focal lesions, Unilateral focal lesions in the rostrolateral medulla influence chemosensitivity and breathing measured during wakefulness, sleep, and exercise: *correspondence,* **138**
focal neuromyotonia, Isolated finger flexion: a novel form of focal neuromyotonia, **110**
folate, Folate in CSF and age: *letter,* **562**
Homocysteine, folate, methylation, and monoamine metabolism in depression, **228**
free will, Between will and action: *correspondence,* **702**
French horn, Anterior superior alveolar neuropathy: an occupational neuropathy of the embouchure: *letter,* **563**
Frégoli syndrome, Misidentification syndromes related to face specific area in the fusiform gyrus, **645**
Friedreich's ataxia, Isolated spastic paraparesis leading to diagnosis of Friedreich's ataxia: *letter,* **693**
frontal lobe, Volume of focal brain lesions and hippocampal formation in relation to memory function after closed head injury in children, **210**
frontal lobe epilepsy, Are ictal vocalisations related to the lateralisation of frontal lobe epilepsy?, **244**
frontotemporal degeneration, Alzheimer's disease and frontotemporal dementia are differentiated by discriminant analysis applied to ^{99m}Tc HmPAO SPECT data, **661**
frontotemporal dementia, Comparison of the pattern of atrophy of the corpus callosum in frontotemporal dementia, progressive supranuclear palsy, and Alzheimer's disease, **623**
Corticobasal ganglionic degeneration and/or frontotemporal dementia?: *correspondence,* **705**
Which neuropsychiatric and behavioural features distinguish frontal and temporal variants of frontotemporal dementia from Alzheimer's disease?, **178**
functional electrical stimulation, elation between abnormal patterns of muscle activation and response to common peroneal nerve stimulation in hemiplegia, **353**
functional magnetic resonance imaging, Cerebral activation pattern in primary writing tremor, **780**
functional MRI, Functional MRI and intraoperative brain mapping to evaluate brain plasticity in patients with brain tumours and hemiparesis, **453**
functional reorganisation, Right ipsilateral hypersensation in a case of anosognosia for hemiplegia and personal neglect with the patient's subjective experience: *letter,* **274**
fusiform gyrus face area, Misidentification syndromes related to face specific area in the fusiform gyrus, **645**

gait disorder, Progressive dementia and gait disorder in a 78 year old woman: *correspondence,* **702**
gait disturbance, Vertebrogenic dysphagia and gait disturbance mimicking motor neuron disease, **560**
γδ T cells Unusual T cell receptor phenotype V gene usage of γδ T cells in a line derived from the peripheral nerve of a patient with Guillain-Barré syndrome, **522**

genetic epidemiology, Familial aggregation of Parkinson's disease in a Finnish population, **107**
genetic polymorphisms, Genetic polymorphism of dopamine D2 receptors in Parkinson's disease and interactions with cigarette smoking and MAO-B intron 13 polymorphism, **535**
genetic testing, Psychological impact of genetic testing for Huntington's disease: an update of the literature: *review*, **574**
Glasgow outcome scale, Emotional and cognitive consequences of head injury in relation to the Glasgow outcome scale, **204**
globus pallidus, Mismatch between electrophysiologically defined and ventriculography based theoretical targets for posteroventral pallidotomy in Parkinson's disease, **787**
globus pallidus lesions, Unilateral lesions of the globus pallidus: report of four patients presenting with focal or segmental dystonia, **494**
glycosylation, Altered glycosylation of acetylcholinesterase in lumbar cerebrospinal fluid of patients with Alzheimer's disease, **664**
granulocyte stimulating factor, Reversible posterior leukencephalopathy syndrome induced by granulocyte stimulating factor filgrastim: *letter*, **280**
Greece, Prognosis of stroke in the south of Greece: 1 year mortality, functional outcome and its determinants: the Arcadia Stroke Registry, **595**
Guillain-Barré syndrome, Ataxic form of Guillain-Barré syndrome associated with anti-GD1b IgG antibody: *letter*, **136**
Guillain-Barré, Fisher, and Bickerstaff syndromes: nature versus well established ideas: *correspondence*, **703**
Unusual T cell receptor phenotype V gene usage of γδ T cells in a line derived from the peripheral nerve of a patient with Guillain-Barré syndrome, **522**

haematoma, Can spontaneous spinal epidural haematoma be managed safely without operation? a report of four cases, **816**
Hallervorden-Spatz syndrome, Late adult onset chorea with typical pathology of Hallervorden-Spatz syndrome, **392**
hallucinations, Hallucinations, delusions, and cognitive decline in Alzheimer's disease, **172**
harmonic imaging, Ultrasonic evaluation of pathological brain perfusion in acute stroke using second harmonic imaging, **616**
HDL cholesterol, Serum lipids in young patients with ischaemic stroke: a case-control study, **29**
head injury, Emotional and cognitive consequences of head injury in relation to the Glasgow outcome scale, **204**
Mass volume measurement in severe head injury: *correspondence*, **406**
Snapshot view of emergency neurolosurgical head injury care: *correspondence*, **283**
Volume of focal brain lesions and hippocampal formation in relation to memory function after closed head injury in children, **210**
headache, Retro-ocular headache with autonomic features resembling "continuous" cluster headache in lateral medullary infarction: *letter*, **134**
health related quality of life, Health related quality of life in Parkinson's disease: a prospective longitudinal study, **584**
hearing preservation, Acoustic neuroma surgery as an interdisciplinary approach: a neurosurgical series of 508 patients, **161**
heat stroke, Downbeat nystagmus from heat stroke: *letter*, **403**
hemiplegia, elation between abnormal patterns of muscle activation and response to common peroneal nerve stimulation in hemiplegia, **353**
hemispheric lateralisation, Are ictal vocalisations related to the lateralisation of frontal lobe epilepsy?, **244**
Henry Head, Henry Head (1861–1940), **578**
heparin, Management of intracranial bleeding associated with anticoagulation: balancing the risk of further bleeding against thromboembolism from prosthetic heart valves, **396**
hereditary motor and sensory neuropathy, Steroid responsive polyneuropathy in a family with a novel myelin protein zero mutation, **799**
Hereditary spastic paraparesis, Hereditary spastic paraparesis: a review of new developments, **150**
hierarchical, Simple and complex vestibular responses induced by electrical cortical stimulation of the parietal cortex in humans, **553**
highly active antiretroviral therapy, Incidence and prevalence of neurological disorders associated with HIV since the introduction of highly active antiretroviral therapy (HAART), **376**
hippocampal sclerosis, Degree of hippocampal atrophy is not related to a history of febrile seizures in patients with proved hippocampal sclerosis, **733**
Hippocampal sclerosis: cause or consequence of febrile seizures: *commentary*, **716**
hippocampus, Volume of focal brain lesions and hippocampal formation in relation to memory function after closed head injury in children, **210**
histiocytosis, Atypical form of non-Langerhans histiocytosis with disseminated brain and leptomeningeal lesions, **675**
histogram analysis, Relative contributions of brain and cervical cord pathology to multiple sclerosis disability: a study with magnetisation transfer ratio histogram analysis, **723**
HIV, Incidence and prevalence of neurological disorders associated with HIV since the introduction of highly active antiretroviral therapy (HAART), **376**
HIV associated dementia, Incidence and prevalence of neurological disorders associated with HIV since the introduction of highly active antiretroviral therapy (HAART), **376**
HMPAO-SPECT, Cerebral correlates of psychotic symptoms in Alzheimer's disease, **167**
homeostatic regulation, Hedonistic homeostatic dysregulation in patients with Parkinson's disease on dopamine replacement therapies: *letter*, **566**
homocysteine, Homocysteine, folate, methylation, and monoamine metabolism in depression, **228**
Hyperhomocysteinaemia in Alzheimer's disease and expression of cell cycle markers in the brain: *letter*, **565**
homonymous hemianopia, Scanning the visual world: a study of patients with homonymous hemianopia, **751**
Horner's syndrome, Isolated Horner's syndrome and syringomyelia: *commentary*, **3**
Isolated Horner's syndrome and syringomyelia: *lesson of the month*, **131**
Relapsing alternating ptosis in two siblings: *letter*, **282**
human, Effect of prolonged neck muscle vibration on lateral head tilt in severe spasmodic torticollis, **658**
Huntington's disease, Family history and DNA analysis in patients with suspected Huntington's disease, **54**
Paradox of a better test for Huntington's disease, **579**
Psychological impact of genetic testing for Huntington's disease: an update of the literature: *review*, **574**
Subtle changes among presymptomatic carriers of the Huntington's disease gene, **773**
hydrocephalus, Anatomical variants in the floor of the third ventricle; implications for endoscopic third ventriculostomy, **531**
hypertension, Late onset postpartum eclampsia without pre-eclamptic prodromi: clinical and neuroradiological presentation in two patients, **824**
hypertonia, Evaluating the role of botulinum toxin in the management of focal hypertonia in adults, **499**
hypoxia, Neurological manifestations in chronic mountain sickness: the burning feet-burning hands syndrome, **447**
Upper limb motor function at 5000 metres: determinants of performance and residual sequelae, **233**

ictal aphasia, Inhibitory simple partial (non-convulsive) status epilepticus after intracranial surgery, **18**
ictal paralysis, Inhibitory simple partial (non-convulsive) status epilepticus after intracranial surgery, **18**
ideomotor apraxia, Crossed face apraxia: *letter*, **694**
idiopathic tarsal tunnel syndrome, Neurovascular decompression for idiopathic tarsal tunnel syndrome: technical note, **87**
IL-1α, Lack of association between *IL-1A* and *IL-1B* promoter polymorphisms and multiple sclerosis: *letter*, **564**
IL-1β, Lack of association between *IL-1A* and *IL-1B* promoter polymorphisms and multiple sclerosis: *letter*, **564**
illusion, Illusory movements of the paralysed upper limb in stroke: *correspondence*, **837**
immunohistochemistry, Increased expression of insulin-like growth factor I in skin in amyotrophic lateral sclerosis, **199**
inborn errors of metabolism, Inborn errors of metabolism as a cause of neurological disease in adults: an approach to investigation, **5**
incapacity, Strength and physiological response to exercise in patients with chronic fatigue syndrome, **302**
incidence, Incidence and prevalence of neurological disorders associated with HIV since the introduction of highly active antiretroviral therapy (HAART), **376**
Incidence of brain tumours in two English counties: a population based study, **464**
Incidence of intracerebral and subarachnoid haemorrhage in southern Sweden, **601**
increased intracranial pressure, Bilateral visual improvement after unilateral optic canal decompression and cranial vault expansion in a patient with osteopetrosis, narrowed optic canals, and increased intracranial pressure: *letter*, **405**
infarction, Subcortical infarction resulting in acquired stuttering, **546**
infection, Infection related to intracranial pressure monitors in adults: analysis of risk factors and antibiotic prophylaxis, **381**
injury, Marked increase of interleukin-6 in injured human nerves and dorsal root ganglia: *letter*, **693**
insulin-like growth factor I, Increased expression of insulin-like growth factor I in skin in amyotrophic lateral sclerosis, **199**
intellect, Effects of topiramate on cognitive function, **636**
α-interferon A randomised double blind trial versus placebo does not confirm the benefit of α-interferon in polyneuropathy associated with monoclonal IgM: *letter*, **279**
Interleukin-6, Marked increase of interleukin-6 in injured human nerves and dorsal root ganglia: *letter*, **693**
internal carotid artery stenosis, Bilateral stenting of symptomatic and asymptomatic internal carotid artery stenosis due to fibromuscular dysplasia, **683**
intracerebral aneurysm, Cognitive impairments after surgical repair of ruptured and unruptured aneurysms, **608**
intracerebral haemorrhage, Incidence of intracerebral and subarachnoid haemorrhage in southern Sweden, **601**

intracranial, Documented growth of a temporal arachnoid cyst: *letter,* **699**
intracranial haemorrhage, Management of intracranial bleeding associated with anticoagulation: balancing the risk of further bleeding against thromboembolism from prosthetic heart valves, **396**
intracranial pressure, Infection related to intracranial pressure monitors in adults: analysis of risk factors and antibiotic prophylaxis, **381**
intracranial pressure monitoring, Camino® intracranial pressure monitor: prospective study of accuracy and complications, **82**
intracranial tumour, Incidence of brain tumours in two English counties: a population based study, **464**
intractable epilepsy, Acute psychosis and EEG normalisation after vagus nerve stimulation: *letter,* **278**
intraoperative monitoring, Acoustic neuroma surgery as an interdisciplinary approach: a neurosurgical series of 508 patients, **161**
intravenous immunoglobulin, A randomised double blind trial versus placebo does not confirm the benefit of α-interferon in polyneuropathy associated with monoclonal IgM: *letter,* **279**
involuntary finger flexion, Isolated finger flexion: a novel form of focal neuromyotonia, **110**
involuntary movement, Carotid brainstem reflex myoclonus after hypoxic brain damage, **672**
ipsilateral deficit, Right ipsilateral hypersensation in a case of anosognosia for hemiplegia and personal neglect with the patient's subjective experience: *letter,* **274**
isoenzyme, Analysis of adenosine deaminase isoenzyme-2 (ADA_2) in cerebrospinal fluid in the diagnosis of tuberculous meningitis: *letter,* **137**

Kozak sequence, Ataxia caused by mutations in the α-tocopherol transfer protein gene, **254**

labetalol, Treatment of paroxysmal sympathetic storm with labetalol: *letter,* **832**
language, Phonological grouping is specifically affected in cerebellar patients: a verbal fluency study, **102**
language lateralisation, Language lateralisation and early right ear deafness: was Wernicke right?, **538**
lateral medullary infarction, Retro-ocular headache with autonomic features resembling "continuous" cluster headache in lateral medullary infarction: *letter,* **134**
lead, Lead poisoning from complementary and alternative medicine in multiple sclerosis: *lesson of the month,* **687**
levodopa, Systematic review of acute levodopa and apomorphine challenge tests in the diagnosis of idiopathic Parkinson's disease, **590**
limb perturbation, Predictive control of muscle responses to arm perturbations in cerebellar patients, **345**
limbic encephalitis, Limbic encephalitis and antibodies to Ma2:, **266**
line bisection, Line versus representational bisections in unilateral spatial neglect, **745**
lipoproteins, Serum lipids in young patients with ischaemic stroke: a case-control study, **29**
London handicap scale, The London handicap scale: *correspondence,* **406**
longitudinal study, Health related quality of life in Parkinson's disease: a prospective longitudinal study, **584**
lower limb, Somatosensory evoked potentials after multisegmental lower limb stimulation in focal lesions of the lumbosacral spinal cord, **91**
lymphoma, Multiple lesions originating from the ventricular wall, **273**
lysozyme, Lysozyme in ventriculitis: a marker for diagnosis and disease progression: *letter,* **696**

macrophage, Enhanced B7 costimulatory molecule expression in inflammatory human sural nerve biopsies, **362**
magnetic resonance imaging, Apolipoprotein E genotype related differences in brain lesions of multiple sclerosis, **25**
Clinical and MRI discordance in a case of delayed radiation myelopathy: *letter,* **563**
Course and distribution of facial corticobulbar tract fibres in the lower brain stem, **262**
Degree of hippocampal atrophy is not related to a history of febrile seizures in patients with proved hippocampal sclerosis, **733**
Diffusion tensor imaging can detect and quantify corticospinal tract degeneration after stroke, **269**
Does APO ε4 correlate with MRI changes in Alzheimer's disease?, **668**
Electroencephalographic coherence analysis in multiple sclerosis: correlation with clinical, neuropsychological, and MRI findings, **192**
Focal amyotrophy in neurofibromatosis 2, **257**
Late onset postpartum eclampsia without pre-eclamptic prodromi: clinical and neuroradiological presentation in two patients, **824**
Primary diffuse leptomeningeal gliomatosis: unusual MRI with non-enhancing nodular lesions on the cerebellar surface and spinal leptomeningeal enhancement, **385**
Reduced cerebral blood flow in white matter in ischaemic leukoaraiosis demonstrated using quantitative exogenous contrast based perfusion MRI, **48**
Relative contributions of brain and cervical cord pathology to multiple sclerosis disability: a study with magnetisation transfer ratio histogram analysis, **723**
Vanishing Balò-like lesions in multiple sclerosis, **399**
Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia: a comparative study, **630**
Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia: *editorial,* **572**
Volume of focal brain lesions and hippocampal formation in relation to memory function after closed head injury in children, **210**
magnetic resonance spectroscopy, Neuronal metabolic changes in the cortical region after subcortical infarction: a proton MR spectroscopy study, **222**
Magnetisation transfer analysis, Magnetisation transfer analysis and the disability resulting from multiple sclerosis: *commentary,* **715**
magnetisation transfer imaging, Relative contributions of brain and cervical cord pathology to multiple sclerosis disability: a study with magnetisation transfer ratio histogram analysis, **723**
major depression, Reliance on external cues during serial sequential movement in major depression, **237**
malaria, Cerebral malaria: *review,* **433**
mass volume measurement, Mass volume measurement in severe head injury: *correspondence,* **406**
McLeod syndrome, Unusual muscle pathology in McLeod syndrome, **655**
medial temporal lobe, Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia: a comparative study, **630**
Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia: *commentary,* **572**
median neuropathies, Proximal median mononeuropathy associated with an anomalous deep course through the brachialis muscle: *letter,* **698**
medullary reticular formation, Carotid brainstem reflex myoclonus after hypoxic brain damage, **672**
melodic processing, Modularity of music: evidence from a case of pure amusia, **541**
memory, Effects of topiramate on cognitive function, **636**
Fear can interrupt the continuum of memory: *commentary,* **431**
metabolic disease, Inborn errors of metabolism as a cause of neurological disease in adults: an approach to investigation, **5**
metabolism, Neuronal metabolic changes in the cortical region after subcortical infarction: a proton MR spectroscopy study, **222**
microrecording, Mismatch between electrophysiologically defined and ventriculography based theoretical targets for posteroventral pallidotomy in Parkinson's disease, **787**
microsatellite instability, Low frequency of replication errors in primary nervous system tumours, **369**
microvascular decompression, Contralateral hearing loss as an effect of venous congestion at the ipsilateral inferior colliculus after microvascular decompression: report of a case, **679**
Late recurrence of glossopharyngeal neuralgia after IXth and partial Xth nerve rhizotomy: treatment by microvascular decompression: *letter,* **834**
migraine, Long term decline of P100 amplitude in migraine with aura, **507**
mitochondrial encephalopathy, Can diffusion weighted magnetic resonance imaging help differentiate stroke from stroke-like events in MELAS?, **248**
Monoamine oxidase B, Genetic polymorphism of dopamine D2 receptors in Parkinson's disease and interactions with cigarette smoking and MAO-B intron 13 polymorphism, **535**
monoamines, Homocysteine, folate, methylation, and monoamine metabolism in depression, **228**
monoclonal IgM gammopathy, A randomised double blind trial versus placebo does not confirm the benefit of α-interferon in polyneuropathy associated with monoclonal IgM: *letter,* **279**
motor control, Interference between gait and cognitive tasks in a rehabilitating neurological population, **479**
Predictive control of muscle responses to arm perturbations in cerebellar patients, **345**
motor evoked potentials, Prognostic value of motor evoked potentials elicited by multipulse magnetic stimulation in a surgically induced transitory lesion of the supplementary motor area: a case report, **828**
motor neuron disease, Phenotypic differences between African and white patients with motor neuron disease: a case-control study, **251**
Vertebrogenic dysphagia and gait disturbance mimicking motor neuron disease, **560**
motor sequencing, Reliance on external cues during serial sequential movement in major depression, **237**
movement disorder, Familial aggregation of Parkinson's disease in a Finnish population, **107**
Moyamoya disease, Moyamoya disease presenting with singing induced chorea: *letter,* **833**

multifocal leucoencephalopathy: AIDS, Progressive multifocal leucoencephalopathy: progress in the AIDS era: *editorial*, **569**
multiple sclerosis, Apolipoprotein E genotype related differences in brain lesions of multiple sclerosis, **25**
Community services in multiple sclerosis: still a matter of chance, **728**
Electroencephalographic coherence analysis in multiple sclerosis: correlation with clinical, neuropsychological, and MRI findings, **192**
Gut focused behavioural treatment (biofeedback) for constipation and faecal incontinence in multiple sclerosis, **240**
Lack of association between *IL-1A* and *IL-1B* promoter polymorphisms and multiple sclerosis: *letter*, **564**
Lead poisoning from complementary and alternative medicine in multiple sclerosis: *lesson of the month*, **687**
Magnetisation transfer analysis and the disability resulting from multiple sclerosis: *commentary*, **715**
Relative contributions of brain and cervical cord pathology to multiple sclerosis disability: a study with magnetisation transfer ratio histogram analysis, **723**
Unmet needs in multiple sclerosis: the role of community services: *commentary*, **715**
Vanishing Balò-like lesions in multiple sclerosis, **399**
Vestibular evoked myogenic potentials in multiple sclerosis: *letter*, **276**
multipulse magnetic stimulation, Prognostic value of motor evoked potentials elicited by multipulse magnetic stimulation in a surgically induced transitory lesion of the supplementary motor area: a case report, **828**
muscle biopsy, Unusual muscle pathology in McLeod syndrome, **655**
muscle contracture, Contribution of thixotropy, spasticity, and contracture to ankle stiffness after stroke, **34**
muscle strength, Strength and physiological response to exercise in patients with chronic fatigue syndrome, **302**
mutation analysis, Paradox of a better test for Huntington's disease, **579**
myelin protein P_0, Steroid responsive polyneuropathy in a family with a novel myelin protein zero mutation, **799**
myelin protein zero, An axonal form of Charcot-Marie-Tooth disease showing distinctive features in association with mutations in the peripheral myelin protein zero gene (Thr124Met or Asp75Val), **806**
myopathy, Unusual muscle pathology in McLeod syndrome, **655**

naloxone, Acute adverse reaction to fentanyl in a 55 year old man: *letter*, **281**
neck muscle vibration, Effect of prolonged neck muscle vibration on lateral head tilt in severe spasmodic torticollis, **658**
negative angiography, Long term follow up after perimesencephalic subarachnoid haemorrhage, **127**
nerve biopsy, Prospective study of the usefulness of sural nerve biopsy, **442**
Unusual T cell receptor phenotype V gene usage of γδ T cells in a line derived from the peripheral nerve of a patient with Guillain-Barrè syndrome, **522**
nerve conduction studies, Proximal median mononeuropathy associated with an anomalous deep course through the brachialis muscle: *letter*, **698**
nerves, Marked increase of interleukin-6 in injured human nerves and dorsal root ganglia: *letter*, **693**
neurocysticercus, The calcified intracorporeal vacuole: an aid to the pathological diagnosis of solitary cerebral cysticercus granulomas, **525**
neurofibromatosis 2, Focal amyotrophy in neurofibromatosis 2, **257**
neurodegeneration with brain iron accumulation type 1, Late adult onset chorea with typical pathology of Hallervorden-Spatz syndrome, **392**
neuroleptic malignant syndrome, Neuroleptic malignant syndrome without fever: a report of three cases: *letter*, **277**
neurological emergencies, Neurological emergencies: acute stroke: *correspondence*, **836**
neurological practice, Dissociative psychopathology, non-epileptic seizures, and neurology: *editorial*, **285**
Epilepsy: an autoimmune disease?: *editorial*, **711**
neurological rehabilitation, Interference between gait and cognitive tasks in a rehabilitating neurological population, **479**
Neurological stamp, André Chantemesse (1851–1919), **786**
Andre Högyes (1847-1906), **471**
Antonio Grossich (1849-1926), **301**
Edmond Isidore Etienne Nocard (1850–1903), **130**
Emil Theodore Kocher (1841-1917), **171**
William Stewart Halsted (1852–1922), **641**
neuropathy, Anterior superior alveolar neuropathy: an occupational neuropathy of the embouchure: *letter*, **563**
neurophysiological monitoring, Prognostic value of motor evoked potentials elicited by multipulse magnetic stimulation in a surgically induced transitory lesion of the supplementary motor area: a case report, **828**
neuropsychiatric inventory, Cerebral correlates of psychotic symptoms in Alzheimer's disease, **167**
neuropsychiatry, Which neuropsychiatric and behavioural features distinguish frontal and temporal variants of frontotemporal dementia from Alzheimer's disease?, **178**
neuropsychological follow up, Neuropsychological follow up in patients with Parkinson's disease, striatonigral degeneration-type multisystem atrophy, and progressive supranuclear palsy, **313**
neuropsychology, Cognitive functioning after subthalamic nucleotomy for refractory Parkinson's disease, **60**
Neuropsychological outcome after unilateral pallidotomy for the treatment of Parkinson's disease, **326**
neurovascular compression syndrome, Idiopathic ocular neuromyotonia: a neurovascular compression syndrome?, **642**
neurovascular decompression, Neurovascular decompression for idiopathic tarsal tunnel syndrome: technical note, **87**
non-epileptic seizures, Dissociative psychopathology, non-epileptic seizures, and neurology: *editorial*, **285**
Epilepsy: an autoimmune disease?: *editorial*, **711**
normal pressure hydrocephalus, CSF sulfatide distinguishes between normal pressure hydrocephalus and subcortical arteriosclerotic encephalopathy, **74**
Nottingham health profile, Health related quality of life in Parkinson's disease: a prospective longitudinal study, **584**
nutritional polyneuropathy, Persistence of tropical ataxic neuropathy in a Nigerian community, **96**
nystagmus, Arnold-Chiari malformation and nystagmus of skew, **124**
Downbeat nystagmus from heat stroke: *letter*, **403**
nystagmus of skew, Arnold-Chiari malformation and nystagmus of skew, **124**

ocular neuromyotonia, Idiopathic ocular neuromyotonia: a neurovascular compression syndrome?, **642**
one and a half syndrome, Coexisting vertical and horizontal one and a half syndromes: *letter*, **401**
opioids, Acute adverse reaction to fentanyl in a 55 year old man: *letter*, **281**
optic nerve decompression, Bilateral visual improvement after unilateral optic canal decompression and cranial vault expansion in a patient with osteopetrosis, narrowed optic canals, and increased intracranial pressure: *letter*, **405**
optic neuropathy, Bilateral visual improvement after unilateral optic canal decompression and cranial vault expansion in a patient with osteopetrosis, narrowed optic canals, and increased intracranial pressure: *letter*, **405**
ornithine transcarbamylase deficiency, Late onset heterozygous ornithine transcarbamylase deficiency mimicking complex partial status epilepticus, **813**
osteopetrosis, Bilateral visual improvement after unilateral optic canal decompression and cranial vault expansion in a patient with osteopetrosis, narrowed optic canals, and increased intracranial pressure: *letter*, **405**
outcome, Emotional and cognitive consequences of head injury in relation to the Glasgow outcome scale, **204**
outcome assessment, Are the modified "simple questions" a valid and reliable measure of health related quality of life after stroke?, **487**

pallidotomy, Mismatch between electrophysiologically defined and ventriculography based theoretical targets for posteroventral pallidotomy in Parkinson's disease, **787**
parahippocampal place area, Misidentification syndromes related to face specific area in the fusiform gyrus, **645**
paraneoplastic, Limbic encephalitis and antibodies to Ma2:, **266**
paraneoplastic syndrome, Chorea resulting from paraneoplastic striatal encephalitis, **512**
parasitic disease, Cerebral malaria: *review*, **433**
parietal lobe, Simple and complex vestibular responses induced by electrical cortical stimulation of the parietal cortex in humans, **553**
parkinsonism, Reliance on external cues during serial sequential movement in major depression, **237**
Parkinson's disease, Can a neuropsychological follow up contribute to the diagnosis of parkinsonian syndromes?: *commentary*, **290**
Cognitive functioning after subthalamic nucleotomy for refractory Parkinson's disease, **60**
Genetic polymorphism of dopamine D2 receptors in Parkinson's disease and interactions with cigarette smoking and MAO-B intron 13 polymorphism, **535**
Health related quality of life in Parkinson's disease: a prospective longitudinal study, **584**
Hedonistic homeostatic dysregulation in patients with Parkinson's disease on dopamine replacement therapies: *letter*, **566**
Long term outcome of unilateral pallidotomy: follow up of 15 patients for 3 years, **337**
Mismatch between electrophysiologically defined and ventriculography based theoretical targets for posteroventral pallidotomy in Parkinson's disease, **787**
Neuropsychological abnormalities in first degree relatives of patients with familial Parkinson's disease: *correspondence*, **838**
Neuropsychological follow up in patients with Parkinson's disease, striatonigral degeneration-type multisystem atrophy, and progressive supranuclear palsy, **313**
Neuropsychological outcome after unilateral pallidotomy for the treatment of Parkinson's disease, **326**

Repetitive speech phenomena in Parkinson's disease, **319**
Sexuality in young patients with Parkinson's disease: a population based comparison with healthy controls, **550**
Systematic review of acute levodopa and apomorphine challenge tests in the diagnosis of idiopathic Parkinson's disease, **590**
The EQ-5D—a generic quality of life measure—is a useful instrument to measure quality of life in patients with Parkinson's disease, **67**
Validating a screening questionnaire for parkinsonism in Australia, **117**
What contributes to quality of life in patients with Parkinson's disease?: *commentary*, **289**
Parkinson's disease, What contributes to quality of life in patients with Parkinson's disease?, **308**
paroxysmal sympathetic storm, Treatment of paroxysmal sympathetic storm with labetalol: *letter*, **832**
pathology, The calcified intracorporeal vacuole: an aid to the pathological diagnosis of solitary cerebral cysticercus granulomas, **525**
pathophysiology, Diffusion tensor imaging can detect and quantify corticospinal tract degeneration after stroke, **269**
percutaneous subdural tapping, Prospective analysis of bedside percutaneous subdural tapping for the treatment of chronic subdural haematoma in adults, **40**
perimesencephalic subarachnoid haemorrhage, Long term follow up after perimesencephalic subarachnoid haemorrhage, **127**
periorbital bruising, Periorbital bruising in spontaneous subarachnoid haemorrhage, **812**
peripheral entrapment neuropathy, Neurovascular decompression for idiopathic tarsal tunnel syndrome: technical note, **87**
peripheral neuropathy, Enhanced B7 costimulatory molecule expression in inflammatory human sural nerve biopsies, **362**
Neurological manifestations in chronic mountain sickness: the burning feet-burning hands syndrome, **447**
Prospective study of the usefulness of sural nerve biopsy, **442**
personal neglect, Right ipsilateral hypersensation in a case of anosognosia for hemiplegia and personal neglect with the patient's subjective experience: *letter*, **274**
phantom movement, Dissociation of anosognosia and phantom movement during the Wada test, **820**
phantom sensations, Phantom limb sensations after complete thoracic transverse myelitis: *letter*, **275**
phenotype, Phenotypic differences between African and white patients with motor neuron disease: a case-control study, **251**
physical activity, Physical activity and subarachnoid haemorrhage: a population based case-control study, **768**
phytotherapy, Acute disseminated encephalomyelitis after parenteral therapy with herbal extracts: a report of two cases, **516**
Pick, Apolipoprotein E ε2 may be a risk factor for sporadic frontotemporal dementia: *letter*, **404**
Pick's disease, Immunohistochemistry distinguishes between Pick's disease and corticobasal degeneration: *letter*, **835**
pituitary apoplexy, Pituitary apoplexy presenting as massive subarachnoid haemorrhage: *letter*, **700**
polymorphism, Lack of association between *IL-1A* and *IL-1B* promoter polymorphisms and multiple sclerosis: *letter*, **564**
polymorphisms, Description of a simple test for CADASIL disease and determination of mutation frequencies in sporadic ischaemic stroke and dementia patients, **652**
polyneuropathy, A randomised double blind trial versus placebo does not confirm the benefit of α-interferon in polyneuropathy associated with monoclonal IgM: *letter*, **279**
postcentral gyrus, The rostrocaudal gradient for somatosensory perception in the human postcentral gyrus: *letter*, **692**
posterior leukencephalopathy, Reversible posterior leukencephalopathy syndrome induced by granulocyte stimulating factor filgrastim: *letter*, **280**
posteroventral pallidotomy, Neuropsychological outcome after unilateral pallidotomy for the treatment of Parkinson's disease, **326**
postoperative inhibitory seizure, Inhibitory simple partial (non-convulsive) status epilepticus after intracranial surgery, **18**
post-traumatic amnesia, Fear can interrupt the continuum of memory: *letter*, **562**
predictive testing, Paradox of a better test for Huntington's disease, **579**
pregnancy, Late onset postpartum eclampsia without pre-eclamptic prodromi: clinical and neuroradiological presentation in two patients, **824**
prenatal testing, Paradox of a better test for Huntington's disease, **579**
presymptomatic gene carriers, Subtle changes among presymptomatic carriers of the Huntington's disease gene, **773**
prevalence, Family history and DNA analysis in patients with suspected Huntington's disease, **54**
Incidence and prevalence of neurological disorders associated with HIV since the introduction of highly active antiretroviral therapy (HAART), **376**
primary diffuse leptomeningeal gliomatosis, Primary diffuse leptomeningeal gliomatosis: unusual MRI with non-enhancing nodular lesions on the cerebellar surface and spinal leptomeningeal enhancement, **385**
Proceedings of the Association of British Neurologists, Proceedings of the Association of British Neurologists, University of Exeter, 5-7 April, 2000, **410**
prodromal pathological laughter, Clinicoanatomical correlates of a Fou rire prodromique in a pontine infarction: *letter*, **697**
prognosis, Prognosis of stroke in the south of Greece: 1 year mortality, functional outcome and its determinants: the Arcadia Stroke Registry, **595**
progressive dementia, Progressive dementia and gait disorder in a 78 year old woman: *correspondence*, **702**
progressive supranuclear palsy, Comparison of the pattern of atrophy of the corpus callosum in frontotemporal dementia, progressive supranuclear palsy, and Alzheimer's disease, **623**
Neuropsychological follow up in patients with Parkinson's disease, striatonigral degeneration-type multisystem atrophy, and progressive supranuclear palsy, **313**
prosthetic heart valves, Management of intracranial bleeding associated with anticoagulation: balancing the risk of further bleeding against thromboembolism from prosthetic heart valves, **396**
psychological adjustment, Psychological impact of genetic testing for Huntington's disease: an update of the literature: *review*, **574**
psychomotor testing, Upper limb motor function at 5000 metres: determinants of performance and residual sequelae, **233**
psychoses, The psychoses of epilepsy: *editorial*, **1**
psychosis, Acute psychosis and EEG normalisation after vagus nerve stimulation: *letter*, **278**
psychotic symptoms, Cerebral dysfunction and psychotic symptoms in Alzheimer's disease: *commentary*, **148**
ptosis, Relapsing alternating ptosis in two siblings: *letter*, **282**
pupil, Isolated Horner's syndrome and syringomyelia: *lesson of the month*, **131**

quality of life, Are the modified "simple questions" a valid and reliable measure of health related quality of life after stroke?, **487**
Sexuality in young patients with Parkinson's disease: a population based comparison with healthy controls, **550**
The EQ-5D—a generic quality of life measure—is a useful instrument to measure quality of life in patients with Parkinson's disease, **67**
What contributes to quality of life in patients with Parkinson's disease?, **308**
What contributes to quality of life in patients with Parkinson's disease?: *commentary*, **289**

race, Phenotypic differences between African and white patients with motor neuron disease: a case-control study, **251**
raphe nucleus magnus, Clinicoanatomical correlates of a Fou rire prodromique in a pontine infarction: *letter*, **697**
record linkage, Social deprivation and prevalence of epilepsy and associated health usage, **13**
recurrence, Late recurrence of glossopharyngeal neuralgia after IXth and partial Xth nerve rhizotomy: treatment by microvascular decompression: *letter*, **834**
regional cerebral blood flow, Quantitative measurement of cerebral blood flow by ^{99m}Tc-HMPAO SPECT in acute ischaemic stroke: usefulness in determining therapeutic options, **472**
repetitive speech phenomena, Repetitive speech phenomena in Parkinson's disease, **319**
representation, Line versus representational bisections in unilateral spatial neglect, **745**
rhizotomy, Late recurrence of glossopharyngeal neuralgia after IXth and partial Xth nerve rhizotomy: treatment by microvascular decompression: *letter*, **834**
right ear deafness, Language lateralisation and early right ear deafness: was Wernicke right?, **538**
right hemisphere, Crossed face apraxia: *letter*, **694**
risk factors, Physical activity and subarachnoid haemorrhage: a population based case-control study, **768**
Prognosis of stroke in the south of Greece: 1 year mortality, functional outcome and its determinants: the Arcadia Stroke Registry, **595**
rostrolateral medulla, Unilateral focal lesions in the rostrolateral medulla influence chemosensitivity and breathing measured during wakefulness, sleep, and exercise: *correspondence*, **138**
rotary atlantoaxiai subluxation, C1/C2 rotary subluxation due to spasmodic torticollis: *letter*, **135**

salivary glands, Injections of botulinum toxin A into the salivary glands improve sialorrhoea in amyotrophic lateral sclerosis, **121**
screening questionnaire, Validating a screening questionnaire for parkinsonism in Australia, **117**
segregation ratio, Familial aggregation of Parkinson's disease in a Finnish population, **107**
seizure, Brain seizes, heart ceases: a case of ictal asystole: *lesson of the month*, **557**
seizures, Effects of topiramate on cognitive function, **636**

semantic dementia, Which neuropsychiatric and behavioural features distinguish frontal and temporal variants of frontotemporal dementia from Alzheimer's disease?, **178**
senile chorea, Late adult onset chorea with typical pathology of Hallervorden-Spatz syndrome, **392**
sensory ataxia, Sensory ataxia as the initial clinical symptom in X-linked recessive bulbospinal neuronopathy: *letter*, **277**
sensory disturbances, The rostrocaudal gradient for somatosensory perception in the human postcentral gyrus: *letter*, **692**
serotoninergic neurotransmission, Clinicoanatomical correlates of a Fou rire prodromique in a pontine infarction: *letter*, **697**
service delivery, Community services in multiple sclerosis: still a matter of chance, **728**
sexuality, Sexuality in young patients with Parkinson's disease: a population based comparison with healthy controls, **550**
shape recognition, The rostrocaudal gradient for somatosensory perception in the human postcentral gyrus: *letter*, **692**
sialorrhoea, Injections of botulinum toxin A into the salivary glands improve sialorrhoea in amyotrophic lateral sclerosis, **121**
side effects, Prospective study of the usefulness of sural nerve biopsy, **442**
Sjögren's syndrome, Chronic autonomic neuropathy in a patient with primary Sjögren's syndrome: *letter*, **135**
social deprivation, Social deprivation and prevalence of epilepsy and associated health usage, **13**
Social deprivation and prevalence of epilepsy and associated health usage: *correspondence*, **837**
solitary granuloma, The calcified intracorporeal vacuole: an aid to the pathological diagnosis of solitary cerebral cysticercus granulomas, **525**
somatosensory evoked potentials, Somatosensory evoked potentials after multisegmental lower limb stimulation in focal lesions of the lumbosacral spinal cord, **91**
spasmodic torticollis, C1/C2 rotary subluxation due to spasmodic torticollis: *letter*, **135**
Effect of prolonged neck muscle vibration on lateral head tilt in severe spasmodic torticollis, **658**
spastic paraparesis, Isolated spastic paraparesis leading to diagnosis of Friedreich's ataxia: *letter*, **693**
spasticity, Botulinum toxin and spasticity: *editorial*, **143**
Contribution of thixotropy, spasticity, and contracture to ankle stiffness after stroke, **34**
elation between abnormal patterns of muscle activation and response to common peroneal nerve stimulation in hemiplegia, **353**
Impact of botulinum toxin type A on disability and carer burden due to arm spasticity after stroke: a randomised double blind placebo controlled trial, **217**
spatial memory, Spatial memory impairment in patients after tumour resection: evidence for a double dissociation, **389**
SPECT, Alzheimer's disease and frontotemporal dementia are differentiated by discriminant analysis applied to ^{99m}Tc HmPAO SPECT data, **661**
Quantitative measurement of cerebral blood flow by ^{99m}Tc-HMPAO SPECT in acute ischaemic stroke: usefulness in determining therapeutic options, **472**
spinal cord, Somatosensory evoked potentials after multisegmental lower limb stimulation in focal lesions of the lumbosacral spinal cord, **91**
Spinal cord schistosomiasis, Spinal cord schistosomiasis, **690**
spine, Can spontaneous spinal epidural haematoma be managed safely without operation? a report of four cases, **816**
sporadic, Family history and DNA analysis in patients with suspected Huntington's disease, **54**
stereotactic pallidotomy, Long term outcome of unilateral pallidotomy: follow up of 15 patients for 3 years, **337**
steroid responsive polyneuropathy, Steroid responsive polyneuropathy in a family with a novel myelin protein zero mutation, **799**
striatal encephalitis, Chorea resulting from paraneoplastic striatal encephalitis, **512**
striatonigral degeneration-type multisystem atrophy, Neuropsychological follow up in patients with Parkinson's disease, striatonigral degeneration-type multisystem atrophy, and progressive supranuclear palsy, **313**
stroke, Characteristics of falling in patients with stroke, **649**
Contribution of thixotropy, spasticity, and contracture to ankle stiffness after stroke, **34**
Diffusion tensor imaging can detect and quantify corticospinal tract degeneration after stroke, **269**
Illusory movements of the paralysed upper limb in stroke: *correspondence*, **837**
Impact of botulinum toxin type A on disability and carer burden due to arm spasticity after stroke: a randomised double blind placebo controlled trial, **217**
Neurological emergencies: acute stroke: *correspondence*, **836**
Reduced cerebral blood flow in white matter in ischaemic leukoaraiosis demonstrated using quantitative exogenous contrast based perfusion MRI, **48**
Serum lipids in young patients with ischaemic stroke: a case-control study, **29**
Subcortical infarction resulting in acquired stuttering, **546**
stroke outcome, Prognosis of stroke in the south of Greece: 1 year mortality, functional outcome and its determinants: the Arcadia Stroke Registry, **595**
stuttering, Subcortical infarction resulting in acquired stuttering, **546**
subarachnoid aneurysm rupture, Estimate of the maximum time interval between formation of cerebral aneurysm and rupture, **760**
subarachnoid haemorrhage, Cognitive impairments after surgical repair of ruptured and unruptured aneurysms, **608**
Incidence of intracerebral and subarachnoid haemorrhage in southern Sweden, **601**
Lysozyme in ventriculitis: a marker for diagnosis and disease progression: *letter*, **696**
Periorbital bruising in spontaneous subarachnoid haemorrhage, **812**
Physical activity and subarachnoid haemorrhage: a population based case-control study, **768**
Pituitary apoplexy presenting as massive subarachnoid haemorrhage: *letter*, **700**
subcortical, Subcortical infarction resulting in acquired stuttering, **546**
subcortical arteriosclerotic encephalopathy, CSF sulfatide distinguishes between normal pressure hydrocephalus and subcortical arteriosclerotic encephalopathy, **74**
subthalamic nucleotomy, Cognitive functioning after subthalamic nucleotomy for refractory Parkinson's disease, **60**
sulfatide, CSF sulfatide distinguishes between normal pressure hydrocephalus and subcortical arteriosclerotic encephalopathy, **74**
superior petrosal vein, Contralateral hearing loss as an effect of venous congestion at the ipsilateral inferior colliculus after microvascular decompression: report of a case, **679**
superior temporal gyrus, Modularity of music: evidence from a case of pure amusia, **541**
supplementary motor area, Prognostic value of motor evoked potentials elicited by multipulse magnetic stimulation in a surgically induced transitory lesion of the supplementary motor area: a case report, **828**
sural nerve biopsy, Sural nerve biopsy: *editorial*, **431**
surgery, Behavioural disorders in children with epilepsy: early improvement after surgery, **739**
Neurovascular decompression for idiopathic tarsal tunnel syndrome: technical note, **87**
surgical training, Acoustic neuroma surgery as an interdisciplinary approach: a neurosurgical series of 508 patients, **161**
Sweden, Brain tumours in Sweden 1996: care and costs, **792**
syringomyelia, Isolated Horner's syndrome and syringomyelia: *commentary*, **3**
Isolated Horner's syndrome and syringomyelia: *lesson of the month*, **131**
systematic review, Systematic review of acute levodopa and apomorphine challenge tests in the diagnosis of idiopathic Parkinson's disease, **590**

temporal lobe epilepsy, Degree of hippocampal atrophy is not related to a history of febrile seizures in patients with proved hippocampal sclerosis, **733**
tetanus, A case of Bickerstaff's brainstem encephalitis mimicking tetanus: *letter*, **695**
Tetanus, **292**
third ventriculostomy, Anatomical variants in the floor of the third ventricle; implications for endoscopic third ventriculostomy, **531**
thixotropy, Contribution of thixotropy, spasticity, and contracture to ankle stiffness after stroke, **34**
α-tocopherol transfer protein gene Ataxia caused by mutations in the α-tocopherol transfer protein gene, **254**
topiramate, Effects of topiramate on cognitive function, **636**
Townsend index, Social deprivation and prevalence of epilepsy and associated health usage, **13**
toxoplasma encephalitis, Incidence and prevalence of neurological disorders associated with HIV since the introduction of highly active antiretroviral therapy (HAART), **376**
transcranial sonography, Ultrasonic evaluation of pathological brain perfusion in acute stroke using second harmonic imaging, **616**
transcutaneous electrical stimulation, Effect of prolonged neck muscle vibration on lateral head tilt in severe spasmodic torticollis, **658**
translation, Ataxia caused by mutations in the α-tocopherol transfer protein gene, **254**
transverse myelitis, Phantom limb sensations after complete thoracic transverse myelitis: *letter*, **275**
treatment outcome, Can spontaneous spinal epidural haematoma be managed safely without operation? a report of four cases, **816**
trigeminovascular activation, Retro-ocular headache with autonomic features resembling "continuous" cluster headache in lateral medullary infarction: *letter*, **134**
trinucleotide repeat expansion, Sensory ataxia as the initial clinical symptom in X-linked recessive bulbospinal neuronopathy: *letter*, **277**
tropical myeloneuropathy, Persistence of tropical ataxic neuropathy in a Nigerian community, **96**

tuberculous meningitis, Analysis of adenosine deaminase isoenzyme-2 (ADA_2) in cerebrospinal fluid in the diagnosis of tuberculous meningitis: *letter,* **137**
tumour resection, Spatial memory impairment in patients after tumour resection: evidence for a double dissociation, **389**
twist drill trephination, Prospective analysis of bedside percutaneous subdural tapping for the treatment of chronic subdural haematoma in adults, **40**

unilateral spatial neglect, Line versus representational bisections in unilateral spatial neglect, **745**

vagoglossopharyngeal neuralgia, Late recurrence of glossopharyngeal neuralgia after IXth and partial Xth nerve rhizotomy: treatment by microvascular decompression: *letter,* **834**
vagus nerve stimulation, Acute psychosis and EEG normalisation after vagus nerve stimulation: *letter,* **278**
validation, Validating a screening questionnaire for parkinsonism in Australia, **117**
validity, The EQ-5D—a generic quality of life measure—is a useful instrument to measure quality of life in patients with Parkinson's disease, **67**
vascular risk factors, Serum lipids in young patients with ischaemic stroke: a case-control study, **29**
ventricular wall, Multiple lesions originating from the ventricular wall, **273**
ventriculitis, Lysozyme in ventriculitis: a marker for diagnosis and disease progression: *letter,* **696**
ventriculostomy, Infection related to intracranial pressure monitors in adults: analysis of risk factors and antibiotic prophylaxis, **381**
Lysozyme in ventriculitis: a marker for diagnosis and disease progression: *letter,* **696**
verbal learning and memory, Volume of focal brain lesions and hippocampal formation in relation to memory function after closed head injury in children, **210**
vertebrogenic dysphagia, Vertebrogenic dysphagia and gait disturbance mimicking motor neuron disease, **560**
vertical gaze, Coexisting vertical and horizontal one and a half syndromes: *letter,* **401**
vestibular, Simple and complex vestibular responses induced by electrical cortical stimulation of the parietal cortex in humans, **553**
vestibulocollic, Vestibular evoked myogenic potentials in multiple sclerosis: *letter,* **276**
vestibulospinal tract, Vestibular evoked myogenic potentials in multiple sclerosis: *letter,* **276**
vigabatrin monotherapy, Visual field defects associated with vigabatrin monotherapy in children: *letter,* **566**
visual evoked potentials, Long term decline of P100 amplitude in migraine with aura, **507**
visual field defects, Visual field defects associated with vigabatrin monotherapy in children: *letter,* **566**
visual loss, Atypical form of non-Langerhans histiocytosis with disseminated brain and leptomeningeal lesions, **675**
visual search, Scanning the visual world: a study of patients with homonymous hemianopia, **751**
vocalisation, Are ictal vocalisations related to the lateralisation of frontal lobe epilepsy?, **244**
volumetry, Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia: a comparative study, **630**

Wada test, Dissociation of anosognosia and phantom movement during the Wada test, **820**
Wallerian degeneration, Wallerian degeneration, **791**
warfarin, Management of intracranial bleeding associated with anticoagulation: balancing the risk of further bleeding against thromboembolism from prosthetic heart valves, **396**
Wilson's disease, Early detection of non-compliance in Wilson's disease by consecutive copper determination in cerebrospinal fluid: *letter,* **701**
Sunflower cataract in Wilson's disease, **133**
writing tremor, Cerebral activation pattern in primary writing tremor, **780**

X-linked bulbospinal neuronopathy (X-BSNP), Sensory ataxia as the initial clinical symptom in X-linked recessive bulbospinal neuronopathy: *letter,* **277**

young people, Serum lipids in young patients with ischaemic stroke: a case-control study, **29**

zero drift, Camino® intracranial pressure monitor: prospective study of accuracy and complications, **82**